Standard Report

Location

Lycoming County, PA

Demographics

Current population demographics and changes in demographic composition over time play a determining role in the types of health and social services needed by communities.

Total Population

A total of 114,330 people live in the 1,228.75 square mile report area defined for this assessment according to the U.S. Census Bureau American Community Survey 2015-19 5-year estimates. The population density for this area, estimated at 93.05 persons per square mile, is greater than the national average population density of 91.93 persons per square mile.


Report Area	Total Population	Total Land Area (Square Miles)	Population Density (Per Square Mile)
Lycoming County, PA	114,330	1,228.75	93.05
Pennsylvania	12,791,530	44,742.38	285.89
United States	324,697,795	3,532,068.58	91.93

Data Source: US Census Bureau, American Community Survey. 2015-19. Source geography: Tract

Total Population by Gender

This indicator reports the total population of the report area by gender.


Report Area	Male	Female	Male, Percent	Female, Percent
Lycoming County, PA	56,067	58,263	49.04%	50.96%
Pennsylvania	6,265,113	6,526,417	48.98%	51.02%
United States	159,886,919	164,810,876	49.24%	50.76%



Total Population by Age Groups, Total

This indicator reports the total population of the report area by age groups


Report Area	Age 0-4	Age 5-17	Age 18-24	Age 25-34	Age 35-44	Age 45-54	Age 55-64	Age 65+
Lycoming County, PA	6,237	17,224	10,357	14,998	12,705	14,592	16,464	21,753
Pennsylvania	706,563	1,955,828	1,174,907	1,680,907	1,493,904	1,692,870	1,804,831	2,281,720
United States	19,767,670	53,661,722	30,646,327	45,030,415	40,978,831	42,072,620	41,756,414	50,783,796



Total Population by Age Groups, Percent

This indicator reports the percentage of age groups in the population of the report area.


Report Area	Age 0-4	Age 5-17	Age 18-24	Age 25-34	Age 35-44	Age 45-54	Age 55-64	Age 65+
Lycoming County, PA	5.46%	15.07%	9.06%	13.12%	11.11%	12.76%	14.40%	19.03%
Pennsylvania	5.52%	15.29%	9.19%	13.14%	11.68%	13.23%	14.11%	17.84%
United States	6.09%	16.53%	9.44%	13.87%	12.62%	12.96%	12.86%	15.64%



Total Population by Race Alone, Total

This indicator reports the total population of the report area by race alone.


Report Area	White	Black	Asian	Native American / Alaska Native	Native Hawaiian / Pacific Islander	Some Other Race	Multiple Races
Lycoming County, PA	105,254	5,665	809	221	25	351	2,005
Pennsylvania	10,300,602	1,430,664	436,324	24,691	4,198	275,177	319,874
United States	235,377,662	41,234,642	17,924,209	2,750,143	599,868	16,047,369	10,763,902



Total Population by Ethnicity Alone

This indicator reports the total population of the report area by ethnicity alone.


Report Area	Total Population	Hispanic or Latino Population	Hispanic or Latino Population, Percent	Non-Hispanic Population	Non-Hispanic Population, Percent
Lycoming County, PA	114,330	2,290	2.00%	112,040	98.00%
Pennsylvania	12,791,530	935,216	7.31%	11,856,314	92.69%
United States	324,697,795	58,479,370	18.01%	266,218,425	81.99%



Total Population by Race Alone, Percent

This indicator reports the percentage of population by race alone in the report area.


Report Area	White	Black	Asian	Native American or Alaska Native	Native Hawaiian or Pacific Islander	Some Other Race	Multiple Race
Lycoming County, PA	92.06%	4.95%	0.71%	0.19%	0.02%	0.31%	1.75%
Pennsylvania	80.53%	11.18%	3.41%	0.19%	0.03%	2.15%	2.50%
United States	72.49%	12.70%	5.52%	0.85%	0.18%	4.94%	3.32%



Hispanic Population by Race Alone, Total

This indicator reports the total of Hispanic or Latino population in the report area by race alone.


Report Area	White	Black	Asian	Native American or Alaska Native	Native Hawaiian or Pacific Islander	Some Other Race	Multiple Races
Lycoming County, PA	1,638	86	3	0	0	294	269
Pennsylvania	523,439	67,621	3,209	10,208	1,582	254,422	74,735
United States	38,277,289	1,257,088	215,255	589,765	59,357	15,258,322	2,822,294



Hispanic Population by Race Alone, Percent of Hispanic Population

This indicator reports the percentage of Hispanic or Latino population in the report area by race alone.


Report Area	White	Black	Asian	Native American or Alaska Native	Native Hawaiian or Pacific Islander	Some Other Race	Multiple Races
Lycoming County, PA	71.53%	3.76%	0.13%	0.00%	0.00%	12.84%	11.75%
Pennsylvania	55.97%	7.23%	0.34%	1.09%	0.17%	27.20%	7.99%
United States	65.45%	2.15%	0.37%	1.01%	0.10%	26.09%	4.83%



Non-Hispanic Population by Race Alone, Total

This indicator reports the total of non-hispanic population in the report area by race alone.


Report Area	White	Black	Asian	Native American or Alaska Native	Native Hawaiian or Pacific Islander	Some Other Race	Multiple Races
Lycoming County, PA	103,616	5,579	806	221	25	57	1,736
Pennsylvania	9,777,163	1,363,043	433,115	14,483	2,616	20,755	245,139
United States	197,100,373	39,977,554	17,708,954	2,160,378	540,511	789,047	7,941,608



Non-Hispanic Population by Race Alone, Percent of Non-Hispanic Population

This indicator reports the percentage of non-Hispanic population in the report area by race alone.

Report Area	White	Black	Asian	Native American or Alaska Native	Native Hawaiian or Pacific Islander	Some Other Race	Multiple Races
Lycoming County, PA	92.48%	4.98%	0.72%	0.20%	0.02%	0.05%	1.55%
Pennsylvania	82.46%	11.50%	3.65%	0.12%	0.02%	0.18%	2.07%
United States	74.04%	15.02%	6.65%	0.81%	0.20%	0.30%	2.98%



Population by Combined Race and Ethnicity

This indicator reports the percentage of the total population in the report area by combined race and ethnicity.

Report Area	Non- Hispanic White	Non- Hispanic Black	Non- Hispanic Asian	Non-Hispanic Native American or Alaska Native	Non-Hispanic Native Hawaiian or Pacific Islander	Non-Hispanic Some Other Race	Non-Hispanic Multiple Races	Hispanic or Latino
Lycoming County, PA	90.63%	4.88%	0.70%	0.19%	0.02%	0.05%	1.52%	2.00%
Pennsylvania	76.43%	10.66%	3.39%	0.11%	0.02%	0.16%	1.92%	7.31%
United States	60.70%	12.31%	5.45%	0.67%	0.17%	0.24%	2.45%	18.01%



Change in Total Population

According to the United States Census Bureau Decennial Census, between 2000 and 2010 the population in the report area fell by -3,934 persons, a change of -3.28%. A significant positive or negative shift in total population over time impacts healthcare providers and the utilization of community resources.


Report Area	Total Population, 2000 Census	Total Population, 2010 Census	Population Change, 2000-2010	Population Change, 2000-2010, Percent
Lycoming County, PA	120,045	116,111	-3,934	-3.28%
Pennsylvania	12,281,049	12,702,379	421,330	3.43%
United States	280,405,781	307,745,539	27,339,758	9.75%

Data Source: US Census Bureau, Decennial Census. 2000 - 2010. Source geography: Tract

Population Change (2000-2010) by Gender

This indicator reports the population change of the report area by gender.


Report Area	Male Population Change, Total	Male Population Change, Percent	Female Population Change, Total	Female Population Change, Percent
Lycoming County, PA	-1,844	-3.14%	-2,091	-3.41%
Pennsylvania	260,702	4.4%	160,625	2.53%
United States	13,738,020	10.02%	13,601,733	9.55%



Population Change (2000-2010) by Hispanic Origin

This indicator reports the Hispanic or Latino population change in the report area.

Report Area	Hispanic Population Change, Total	Hispanic Population Change, Percent	Non-Hispanic Population Change, Total	Non-Hispanic Population Change, Percent
Lycoming County, PA	760	95.12%	-4,695	-3.94%
Pennsylvania	325,574	82.61%	95,764	0.81%
United States	15,152,943	42.93%	12,099,099	4.92%



Total Population Change (2000-2010) by Race


This indicator reports the total population change of the report area by race.

Report Area	White	Black	American Indian or Alaska Native	Asian	Native Hawaiian or Pacific Islander	Some Other Race	Multiple Race
Lycoming County, PA	-5,165	14	-41	162	13	109	974
Pennsylvania	-77,908	153,077	8,495	129,275	236	112,546	95,612
United States	12,199,518	5,189,316	521,420	4,433,864	141,446	3,703,567	2,190,889

Percent Population Change (2000-2010) by Race

This indicator reports the percentage of population change of the report area by race.

Report Area	White	Black	American Indian or Alaska Native	Asian	Native Hawaiian or Pacific Islander	Some Other Race	Multiple Race
Lycoming County, PA	-4.58%	0.27%	-15.89%	31.83%	108.33%	34.94%	94.84%
Pennsylvania	-0.74%	12.5%	46.3%	58.81%	6.91%	59.73%	67.23%
United States	5.8%	15.43%	22.56%	43.72%	47.37%	24.2%	32.61%



Population Under Age 18

Of the estimated 114,330 total population in the report area, an estimated 23,461 persons are under the age of 18, representing 20.52% of the population. These data are based on the latest U.S. Census Bureau American Community Survey 5-year estimates. The number of persons under age 18 is relevant because this population has unique needs which should be considered separately from other age groups.


Report Area	Total Population	Population Age 0-17	Population Age 0-17, Percent	
Lycoming County, PA	114,330	23,461	20.52%	
Pennsylvania	12,791,530	2,662,391	20.81%	
United States	324,697,795	73,429,392	22.61%	

Data Source: US Census Bureau, American Community Survey. 2015-19. Source geography: Tract

Population Under Age 18 by Gender

This indicator reports the percentage of population that is under age 18 by gender.


Report Area	Male	Female	Male, Percent	Female, Percent
Lycoming County, PA	11,977	11,484	21.36%	19.71%
Pennsylvania	1,362,653	1,299,738	21.75%	19.92%
United States	37,526,534	35,902,858	23.47%	21.78%



Population Under Age 18 by Ethnicity Alone

This indicator reports the percentage of population that is under age 18 by ethnicity alone.


Report Area	Hispanic or Latino	Not Hispanic or Latino	Hispanic or Latino, Percent	Not Hispanic or Latino, Percent
Lycoming County, PA	830	22,631	36.24%	20.20%
Pennsylvania	319,933	2,342,458	12.02%	87.98%
United States	18,456,651	54,972,741	31.56%	20.65%



Population Under Age 18 by Ethnicity Alone

This indicator reports the proportion of the population aged 0 to 17 that is Hispanic or Latino.


Report Area	Hispanic or Latino	Not Hispanic or Latino	Hispanic or Latino, Percent	Not Hispanic or Latino, Percent
Lycoming County, PA	830	22,631	3.54%	96.46%
Pennsylvania	319,933	2,342,458	12.02%	87.98%
United States	18,456,651	54,972,741	25.14%	74.86%



Population Under Age 18 by Race Alone, Percent

This indicator reports the percentage of population that is under age 18 by race alone.


Report Area	White	Black or African American	Native American or Alaska Native	Asian	Native Hawaiian or Pacific Islander	Some Other Race	Multiple Race
Lycoming County, PA	19.17%	29.89%	27.60%	29.05%	No data	46.44%	56.66%
Pennsylvania	18.99%	25.54%	25.25%	21.22%	17.25%	30.44%	49.20%
United States	20.86%	24.94%	26.91%	19.62%	25.20%	29.48%	45.54%



Population Under Age 18 by Race Alone, Total

This indicator reports the proportion of each race (alone) making up the population under age 18.

Report Area	White	Black or African American	Native American or Alaska Native	Asian	Native Hawaiian or Pacific Islander	Some Other Race	Multiple Race
Lycoming County, PA	20,173	1,693	61	235	0	163	1,136
Pennsylvania	1,956,371	365,352	6,235	92,581	724	83,764	157,364
United States	49,104,625	10,285,137	740,064	3,516,087	151,143	4,730,790	4,901,546



Median Age

Of the estimated 115,398 total population in the report area, the median age of all persons is 41.0. This indicates that the report population as a whole generally trends older than the state, which has a median age of 40.8. These data are based on the latest U.S. Census Bureau American Community Survey 5-year estimates.


Report Area	Total Population	Median Age		
Lycoming County, PA	115,398	41.0		
Pennsylvania	12,791,530	40.8		
United States	324,697,795	38.1		

Data Source: US Census Bureau, American Community Survey. 2015-19. Source geography: Tract

Population Median Age by Gender

This indicator reports the median age of the population by gender.


Report Area	Male	Female
Lycoming County, PA	39.3	43.5
Pennsylvania	39.1	42.4
United States	36.8	39.4



Population Median Age by Race Alone

This indicator reports the median age of the population by race alone.


Report Area	White	Black or African American	Native American or Alaska Native	Asian	Native Hawaiian or Pacific Islander	Some Other Race	Multiple Race
Lycoming County, PA	43.3	28.1	29.5	32.1	37.6	21.0	16.0
Pennsylvania	43.8	33.0	36.7	34.4	32.2	28.9	18.4
United States	40.7	34.1	33.0	37.2	32.2	29.9	20.3



Population Median Age by Ethnicity

This indicator reports the median age of the population by ethnicity.

Report Area	Hispanic or Latino	Not Hispanic or Latino
Lycoming County, PA	24.1	43.7
Pennsylvania	27.0	44.9
United States	29.2	43.5



Population Age 18-64

Of the estimated 114,330 total population in the report area, an estimated 69,116 persons are between the ages of 18 and 64, representing 60.45% of the population. These data are based on the latest U.S. Census Bureau American Community Survey 5-year estimates. The number of adults in the report area is relevant because this population has unique needs which should be considered separately from other age groups.


Report Area	Total Population	Population Age 18-64	Population Age 18-64, Percent
Lycoming County, PA	114,330	69,116	60.45%
Pennsylvania	12,791,530	7,847,419	61.35%
United States	324,697,795	200,484,607	61.74%

Data Source: US Census Bureau, American Community Survey. 2015-19. Source geography: Tract

Population Age 18-64 by Gender

The table below reports the percentage of the population that is age 18 to 64 by gender. Among the male population in the report area, 61.49% are aged 18-64 years. Among the female population, 59.46% are aged 18-64 years.


Report Area	Male Age 18-64	Female Age 18-64	Male Age 18-64, Percent	Female Age 18-64, Percent
Lycoming County, PA	34,474	34,642	61.49%	59.46%
Pennsylvania	3,907,637	3,939,782	62.37%	60.37%
United States	99,841,782	100,642,825	62.45%	61.07%



Population Age 18-64 by Ethnicity Alone

This indicator reports the percentage of population that are at age 18 to 64 by ethnicity alone. In the report area, 56.72% of Hispanic / Latino population are at age 18-64, and 60.53% of non Hispanic / Latino population are at age 18-64.


Report Area	Hispanic or Latino Age 18-64	Not Hispanic or Latino Age 18-64	Hispanic or Latino Age 18-64, Percent	Not Hispanic or Latino Age 18-64, Percent
Lycoming County, PA	1,299	67,817	56.72%	60.53%
Pennsylvania	564,161	7,283,258	60.32%	61.43%
United States	35,856,899	164,627,708	61.32%	61.84%



Population Age 18-64 by Ethnicity Alone

This indicator reports the percentage of population that are between the ages of 18 - 64 by ethnicity alone. In the report area, 1.88% of Hispanic / Latino population and 98.12% of non Hispanic / Latino population are between the ages of 18 - 64.


Report Area	Hispanic or Latino Age 18+	Not Hispanic or Latino Age 18+	Hispanic or Latino Age 18+, Percent	Not Hispanic or Latino Age 18+, Percent
Lycoming County, PA	1,299	67,817	1.88%	98.12%
Pennsylvania	564,161	7,283,258	7.19%	92.81%
United States	35,856,899	164,627,708	17.89%	82.11%



Population Age 18-64 by Race Alone, Percent

This indicator reports the percentage of population that are at age 18 to 64 by race alone.


Report Area	White Age 18- 64	Black or African American Age 18-64	Native American or Alaska Native Age 18-64	Asian Age 18- 64	Native Hawaiian or Pacific Islander Age 18-64	Some Other Race Age 18-64	Multiple Race Age 18-64
Lycoming County, PA	60.82%	62.52%	53.85%	60.32%	84.00%	52.14%	37.26%
Pennsylvania	61.14%	63.01%	63.86%	69.08%	73.63%	64.62%	46.79%
United States	61.26%	63.78%	62.80%	67.93%	65.92%	64.72%	49.30%



Population Age 18-64 by Race Alone, Total

This indicator reports the proportion of each race (alone) making up the population aged 18 to 64.

Report Area	White Age 18-64	Black or African American Age 18-64	Native American or Alaska Native Age 18-64	Asian Age 18-64	Native Hawaiian or Pacific Islander Age 18-64	Some Other Race Age 18-64	Multiple Race Age 18-64
Lycoming County, PA	64,016	3,542	119	488	21	183	747
Pennsylvania	6,298,272	901,396	15,768	301,420	3,091	177,817	149,655
United States	144,193,825	26,300,100	1,726,976	12,176,086	395,444	10,385,749	5,306,427



Population Age 65+

Of the estimated 114,330 total population in the report area, an estimated 21,753 persons are adults aged 65 and older, representing 19.03% of the population. These data are based on the latest U.S. Census Bureau American Community Survey 5-year estimates. The number of older adults in the report area is relevant because this population has unique needs which should be considered separately from other age groups.


Report Area	Total Population	Population Age 65+	Population Age 65+, Percent
Lycoming County, PA	114,330	21,753	19.03%
Pennsylvania	12,791,530	2,281,720	17.84%
United States	324,697,795	50,783,796	15.64%

Data Source: US Census Bureau, American Community Survey. 2015-19. Source geography: Tract

Population Age 65+ by Gender

The table below reports the percentage of the population that is age 65 or older by gender. Among the male population in the report area, 15.49% are aged 65 years or older. Among the female population, 20.83% are aged 65 years or older.


Report Area	Male	Female	Male, Percent	Female, Percent
Lycoming County, PA	8,684	12,137	15.49%	20.83%
Pennsylvania	885,228	1,286,897	14.13%	19.72%
United States	20,320,351	28,265,193	12.71%	17.15%



Population Age 65+ by Ethnicity Alone

This indicator reports the percentage of population that are at age 65+ by ethnicity alone. In the report area, 7.03% of Hispanic / Latino population are at age 65+, and 19.27% of non Hispanic / Latino population are at age 65+.


Report Area	Hispanic or Latino	Not Hispanic or Latino	Hispanic or Latino, Percent	Not Hispanic or Latino, Percent
Lycoming County, PA	161	21,592	7.03%	19.27%
Pennsylvania	51,122	2,230,598	5.47%	18.81%
United States	4,165,820	46,617,976	7.12%	17.51%



Population Age 65+ by Race Alone, Percent

This indicator reports the percentage of each race (alone) making up the population aged 65 or older.


Report Area	White	Black or African American	Native American or Alaska Native	Asian	Native Hawaiian or Pacific Islander	Some Other Race	Multiple Race
Lycoming County, PA	20.01%	7.59%	18.55%	10.63%	16.00%	1.42%	6.08%
Pennsylvania	19.86%	11.46%	10.89%	9.70%	9.12%	4.94%	4.02%
United States	17.88%	11.28%	10.29%	12.45%	8.88%	5.80%	5.16%



Population Age 65+ by Race Alone, Total

This indicator reports the proportion of each race (alone) making up the population aged 65 or older.

Report Area	Non-Hispanic White	Black or African American	Native American or Alaska Native	Asian	Native Hawaiian or Pacific Islander	Some Other Race	Multiple Race
Lycoming County, PA	21,065	430	41	86	4	5	122
Pennsylvania	2,045,959	163,916	2,688	42,323	383	13,596	12,855
United States	42,079,212	4,649,405	283,103	2,232,036	53,281	930,830	555,929



Population with Any Disability

This indicator reports the percentage of the total civilian non-institutionalized population with a disability. The report area has a total population of 111,088 for whom disability status has been determined, of which 17,026 or 15.33% have any disability. This indicator is relevant because disabled individuals comprise a vulnerable population that requires targeted services and outreach by providers.


Report Area	Total Population (For Whom Disability Status Is Determined)	Population with a Disability	Population with a Disability, Percent	Population with a Disability, Percent
Lycoming County, PA	111,088	17,026	15.33%	0% 20%
Pennsylvania	12,587,348	1,759,043	13.97%	Pennsylvania (13.97%)
United States	319,706,872	40,335,099	12.62%	United States (12.62%)

Note: This indicator is compared to the state average. Data Source: US Census Bureau, American Community Survey. 2015-19. Source geography: Tract

Population with Any Disability by Gender

This indicator reports the percentage of the total civilian non-institutionalized population with a disability by gender.


Report Area	Male	Female	Male, Percent	Female, Percent
Lycoming County, PA	8,505	8,521	15.38%	15.27%
Pennsylvania	836,653	922,390	13.65%	14.29%
United States	19,519,273	20,815,826	12.49%	12.74%



Population with Any Disability by Age Group, Percent

This indicator reports the percentage of the total civilian non-institutionalized population with a disability by age group.


Report Area	Under Age 18	Age 18 - 64	Age 65 +
Lycoming County, PA	5.70%	12.76%	34.50%
Pennsylvania	5.35%	11.34%	33.63%
United States	4.21%	10.25%	34.48%



Population with Any Disability by Age Group, Total

This indicator reports the proportion of the total civilian non-institutionalized population with a disability by age group.


Report Area	Under Age 18	Age 18-64	Age 65+
Lycoming County, PA	1,335	8,538	7,153
Pennsylvania	142,152	876,280	740,611
United States	3,084,450	20,187,604	17,063,045



Population with Any Disability by Ethnicity Alone

This indicator reports the percentage of the total civilian non-institutionalized population with a disability by ethnicity alone.


Report Area	Hispanic or Latino	Not Hispanic or Latino	Hispanic or Latino, Percent	Not Hispanic or Latino, Percent
Lycoming County, PA	282	16,744	12.75%	15.38%
Pennsylvania	127,997	1,631,046	1.98%	13.98%
United States	5,180,805	35,154,294	3.17%	13.42%



Population with Any Disability by Race Alone, Percent

This indicator reports the percentage of the total civilian non-institutionalized population with a disability by race alone.


Report Area	White	Black or African American	Native American or Alaska Native	Asian	Native Hawaiian or Pacific Islander	Some Other Race	Multiple Race
Lycoming County, PA	15.20%	18.51%	32.09%	8.53%	16.00%	12.94%	15.33%
Pennsylvania	13.91%	16.48%	22.90%	7.09%	17.45%	15.86%	12.39%
United States	13.14%	13.95%	16.94%	7.06%	10.78%	8.27%	10.93%



Population with Any Disability by Race Alone, Total

This indicator reports the proportion of the total civilian non-institutionalized population with a disability by race alone.

Report Area	Non-Hispanic White	Black or African American	Native American or Alaska Native	Asian	Native Hawaiian or Pacific Islander	Some Other Race	Multiple Race
Lycoming County, PA	15,613	930	69	69	4	44	297
Pennsylvania	1,413,984	226,524	5,421	30,840	724	42,742	38,808
United States	30,510,078	5,579,158	454,471	1,259,426	63,132	1,310,335	1,158,499



Population with Limited English Proficiency

This indicator reports the percentage of the population aged 5 and older who speak a language other than English at home and speak English less than "very well." This indicator is relevant because an inability to speak English well creates barriers to healthcare access, provider communications, and health literacy/education.


Report Area	Population Age 5+	Population Age 5+ with Limited English Proficiency	Population Age 5+ with Limited English Proficiency, Percent	Population Age 5 + with Limited English Proficiency, Percent
Lycoming County, PA	108,093	1,182	1.09%	
Pennsylvania	12,084,967	522,261	4.32%	0% 25% Lycoming County (1.09%)
United States	304,930,125	25,615,365	8.40%	 Pennsylvania (4.32%) United States (8.40%)

Note: This indicator is compared to the state average. Data Source: US Census Bureau, American Community Survey. 2015-19. Source geography: Tract

Population with Limited English Proficiency by Ethnicity Alone

Data Source: US Census Bureau, American Community Survey. 2015-19. Source geography: Tract


Report Area	Hispanic or Latino	Not Hispanic or Latino	Hispanic or Latino, Percent	Not Hispanic or Latino, Percent
Lycoming County, PA	323	859	15.38%	0.81%
Pennsylvania	225,988	296,273	26.82%	2.64%
United States	15,847,641	9,767,724	29.69%	3.88%



Population with Limited English Proficiency by Race Alone, Percent

Report Area	White	Black or African American	Native American or Alaska Native	Asian	Native Hawaiian or Pacific Islander	Some Other Race	Multiple Race
Lycoming County, PA	0.82%	0.16%	0.01%	0.12%	0.00%	0.07%	0.00%
Pennsylvania	2.41%	0.40%	0.03%	1.46%	0.00%	0.83%	0.20%
United States	5.75%	0.54%	0.09%	2.49%	0.03%	2.36%	0.26%


Data Source: US Census Bureau, American Community Survey. 2015-19. Source geography: Tract



Population with Limited English Proficiency by Race Alone, Total

Data Source: US Census Bureau, American Community Survey. 2015-19. Source geography: Tract


Report Area	Non-Hispanic White	Black or African American	Native American or Alaska Native	Asian	Native Hawaiian or Pacific Islander	Some Other Race	Multiple Race
Lycoming County, PA	822	160	8	121	0	71	0
Pennsylvania	236,182	39,171	3,177	143,090	230	81,236	19,175
United States	12,785,991	1,205,315	193,205	5,538,575	69,831	5,254,025	568,423



Population with Limited English Proficiency by Language Spoken at Home

Data Source: US Census Bureau, American Community Survey. 2015-19. Source geography: Tract

Report Area	Spanish	Other Indo-European Languages	Asian and Pacific Island Languages	Other Languages
Lycoming County, PA	432	522	128	100
Pennsylvania	236,209	141,566	116,179	28,307
United States	16,258,571	3,418,899	4,910,799	1,027,096



Foreign-Born Population

This indicator reports the percentage of the population that is foreign-born. The foreign-born population includes anyone who was not a U.S. citizen or a U.S. national at birth. This includes any non-citizens, as well as persons born outside of the U.S. who have become naturalized citizens. The native U.S. population includes any person born in the United States, Puerto Rico, a U.S. Island Area (such as Guam), or abroad of American (U.S. citizen) parent or parents. The latest figures from the U.S. Census Bureau show that 2,312 persons in the report area are of foreign birth, which represents 2.02% of the report area population. This percentage is less than the national average of 13.55%.

Report Area	Total Population	Naturalized U.S. Citizens	Population Without U.S. Citizenship	Total Foreign-Birth Population	Foreign-Birth Population, Percent of Total Population
Lycoming County, PA	114,330	1,155	1,157	2,312	2.02%
Pennsylvania	12,791,530	470,141	412,209	882,350	6.90%
United States	324,697,795	21,847,890	22,163,980	44,011,870	13.55%

Data Source: US Census Bureau, American Community Survey. 2015-19. Source geography: Tract

Citizenship Status

The table below shows the numbers and percent of population by citizenship status for the report area. According to the latest American Community Survey (ACS), the report area has a total of 1,157 non-Citizens, or 1.01% of the total population of 114,330 persons, in contrast to the state average of 3.22% of the population and the national average of 6.83% non-Citizens living in the United States.

Report Area	Native	Born in a US Territory	Born Abroad to US Citizens	Naturalized	Non-Citizen	Non-Citizen, Percent
Lycoming County, PA	111,271	214	533	1,155	1,157	1.01%
Pennsylvania	11,671,107	156,192	81,881	470,141	412,209	3.22%
United States	275,537,270	2,019,168	3,129,487	21,847,890	22,163,980	6.83%


Data Source: US Census Bureau, American Community Survey. 2015-19. Source geography: County



Hispanic or Latino Citizens

This indicator reports the citizenship status of the Hispanic or Latino population within the report area.


Report Area	Native Born	Native Born	Foreign Born	Foreign Born
Lycoming County, PA	1,744	1.53%	546	0.48%
Pennsylvania	729,085	5.70%	206,131	1.61%
United States	38,893,023	11.98%	19,586,347	6.03%



Hispanic or Latino Non-Citizens

This indicator reports the citizenship status of the Non-Hispanic or Latino population within the report area.

Report Area	Foreign Citizen	Foreign Citizen	Foreign Non-Citizen	Foreign Non-Citizen
Lycoming County, PA	199	0.17%	347	0.30%
Pennsylvania	81,917	0.64%	124,214	0.97%
United States	7,307,849	2.25%	12,278,498	3.78%



Urban and Rural Population

This indicator reports the percentage of population living in urban and rural areas. Urban areas are identified using population density, count, and size thresholds. Urban areas also include territory with a high degree of impervious surface (development). Rural areas are all areas that are not urban. Of the report areas 116,111 population, 73,990 or 63.72% of the population is classified urban while 42,121 or 36.28% is rural.


Report Area	Total Population	Urban Population	Rural Population	Urban Population, Percent	Rural Population, Percent
Lycoming County, PA	116,111	73,990	42,121	63.72%	36.28%
Pennsylvania	12,702,379	9,991,287	2,711,092	78.66%	21.34%
United States	312,471,327	252,746,527	59,724,800	80.89%	19.11%

Data Source: US Census Bureau, Decennial Census. 2010. Source geography: Tract

Rural Population, Total by Age Group


This indicator reports the total rural population of the report area by age group.

Report Area	Population Under Age 18	Population Age 18-64	Population Age 65 +
Lycoming County, PA	8,954	26,205	6,962
Pennsylvania	599,639	1,670,861	440,592
United States	13,907,394	36,734,957	9,082,449



Rural Population, Percent by Age Group


Report Area	Population Under Age 18	Population Age 18-64	Population Age 65 +
Lycoming County, PA	36.98%	36.00%	36.43%
Pennsylvania	21.48%	21.01%	22.49%
United States	18.52%	18.69%	22.26%



Rural Population, Total by Race Alone

This indicator reports the total rural population of the report area by race alone.


Report Area	White	Black or African American	Native American or Alaska Native	Asian	Native Hawaiian or Pacific Islander	Some Other Race	Multiple Race
Lycoming County, PA	41,324	182	72	167	12	55	309
Pennsylvania	2,629,898	27,880	3,796	12,615	567	12,555	23,781
United States	52,457,879	3,533,008	1,043,048	399,200	40,683	1,242,870	1,008,112



Rural Population, Percent by Race Alone

This indicator reports the percentage of rural population in the report area by race alone.

Report Area	White	Black or African American	Native American or Alaska Native	Asian	Native Hawaiian or Pacific Islander	Some Other Race	Multiple Race
Lycoming County, PA	38.41%	3.50%	33.18%	24.89%	48.00%	13.06%	15.44%
Pennsylvania	25.27%	2.02%	14.14%	3.61%	15.52%	4.17%	10.00%
United States	23.17%	8.97%	35.33%	2.72%	7.53%	6.41%	11.04%



Veteran Population

This indicator reports the percentage of the population age 18 and older that served (even for a short time), but is not currently serving, on active duty in the U.S. Army, Navy, Air Force, Marine Corps, or the Coast Guard, or that served in the U.S. Merchant Marine during World War II. Of the 90,809 population of the report area, 8,898 or 9.80% are veterans.


Report Area	Total Population Age 18+	Total Veterans	Veterans, Percent of Total Population
Lycoming County, PA	90,809	8,898	9.80%
Pennsylvania	10,122,590	759,474	7.50%
United States	250,195,726	18,230,322	7.29%

Data Source: US Census Bureau, American Community Survey. 2015-19. Source geography: Tract

Veteran Population by Gender

This indicator reports the veteran population in the report area by gender.


Report Area	Male	Female	Male, Percent	Female, Percent
Lycoming County, PA	8,229	669	18.69%	1.43%
Pennsylvania	708,046	51,428	14.46%	0.98%
United States	16,611,283	1,619,039	13.68%	1.26%



Veteran Population by Age Group, Total

This indicator reports the total veteran population in the report area by age group.


Report Area	Age 18-34	Age 35-54	Age 55-64	Age 65-74	Age 75+
Lycoming County, PA	903	2,289	1,416	2,199	2,091
Pennsylvania	49,244	154,330	126,173	216,083	213,644
United States	1,609,388	4,281,826	3,251,828	4,811,798	4,275,482



Veteran Population by Age Group, Percent

This indicator reports the percentage of veterans in the report area by age group.

Report Area	Age 18-34	Age 35-54	Age 55-64	Age 65-74	Age 75+
Lycoming County, PA	3.57%	8.39%	8.60%	18.18%	21.65%
Pennsylvania	1.73%	4.85%	6.99%	16.93%	21.26%
United States	2.15%	5.17%	7.79%	16.29%	20.13%



Income and Economics

Economic and social insecurity often are associated with poor health. Poverty, unemployment, and lack of educational achievement affect access to care and a community's ability to engage in healthy behaviors. Without a network of support and a safe community, families cannot thrive. Ensuring access to social and economic resources provides a foundation for a healthy community.

Employment - Labor Force Participation Rate

The table below displays the labor force participation rate for the report area. According to the 2014 – 2019 American Community Survey, of the 93,641 working age population, 55,961 are included in the labor force. The labor force participation rate is 59.76%.



Pennsylvania (62.69%) United States (62.99%)

Unemployment Rate

Lycoming County (8.7%) 🔴 Pennsylvania (8.1%) United States (6.8%)

Data Source: US Census Bureau, American Com nity Survey. 2015-19. Source geography: County

Employment - Unemployment Rate


Total unemployment in the report area for the current month equals 4,774, or 8.7% of the civilian non-institutionalized population age 16 and older (non-seasonally adjusted). This indicator is relevant because unemployment creates financial instability and barriers to access including insurance coverage, health services, healthy food, and other necessities that contribute to poor health status.

Report Area	Labor Force	Number Employed	Number Unemployed	Unemployment Rate
Lycoming County, PA	54,983	50,209	4,774	8.7%
Pennsylvania	6,247,478	5,742,775	504,703	8.1%
United States	160,270,751	149,326,477	10,944,273	6.8%

Note: This indicator is compared to the state average. Data Source: US Department of Labor, Bureau of Labor Statistics. 2021 - January. Source geography: County


Average Monthly Unemployment Rate, January 2020 - January 2021

Report Area	Jan. 2020	Feb. 2020	Mar. 2020	Apr. 2020	May 2020	Jun. 2020	Jul. 2020	Aug. 2020	Sep. 2020	Oct. 2020	Nov. 2020	Dec. 2020	Jan. 2021
Lycoming County, PA	6.0%	6.1%	7.2%	16.9%	12.8%	12.4%	12.1%	10.2%	7.6%	7.0%	6.5%	7.2%	8.7%
Pennsylvania	5.0%	5.0%	5.6%	15.9%	13.7%	13.2%	13.5%	10.2%	7.0%	6.4%	6.5%	6.9%	8.1%
United States	4.0%	3.8%	4.5%	14.4%	13.0%	11.2%	10.4%	8.5%	7.7%	6.6%	6.4%	6.5%	6.8%



Average Annual Unemployment Rate, 2010-2020

Report Area	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020
Lycoming County, PA	8.9%	7.7%	7.9%	7.8%	6.1%	6.0%	6.6%	5.6%	4.7%	4.8%	No data
Pennsylvania	8.2%	7.8%	7.7%	7.1%	5.9%	5.4%	5.3%	5.0%	4.4%	4.5%	9.1%
United States	9.6%	9.0%	8.1%	7.4%	6.2%	5.3%	4.9%	4.4%	3.9%	3.7%	8.1%



Income - Inequality (GINI Index)

This indicator reports income inequality using the Gini coefficient. Gini index values range between zero and one. A value of one indicates perfect inequality where only one house-hold has any income. A value of zero indicates perfect equality, where all households have equal income.

Index values are acquired from the 2015-19 American Community Survey and are not available for custom report areas or multi-county areas.

Report Area	Total Households	Gini Index Value	Gini Index Value
Lycoming County, PA	45,608	0.43	
Pennsylvania	5,053,106	0.47	
United States	120,756,048	0.48	
Note: This indicator is compared to the state average. Data Source: US Census Bureau, American Community Survey. 2015-1:	9. Source geography: Tract		 Lycoming County (0.43 Pennsylvania (0.47)

United States (0.48)

Median Household Income

Lycoming (\$54.241)

Pennsylvania (\$61,744) United States (\$62,843)

100000

Income - Median Household Income

This indicator reports median household income based on the latest 5-year American Community Survey estimates. This includes the income of the householder and all other individuals 15 years old and over in the household, whether they are related to the householder or not. Because many households consist of only one person, average household income is usually less than average family income. There are 45,608 households in the report area, with an average income of \$68,006 and median income of \$54,241.

Report Area	Total Households	Average Household Income	Median Household Income		
Lycoming County, PA	45,608	\$68,006	\$54,241		
Pennsylvania	5,053,106	\$84,849	\$61,744		
United States	120,756,048	\$88,607	\$62,843		


Note: This indicator is compared to the state average.

Data Source: US Census Bureau, American Community Survey. 2015-19. Source geography: Tract

Median Household Income by Household Size

This indicator reports the median household income of the report area by household size.


Report Area	1-Person Households	2-Person Households	3-Person Households	4-Person Households	5-Person Households	6-Person Households	7-or-More-Person Households
Lycoming County, PA	\$26,610	\$61,905	\$70,106	\$86,168	\$74,722	\$74,048	\$92,094
Pennsylvania	\$30,528	\$69,203	\$84,536	\$99,131	\$93,394	\$89,202	\$82,877
United States	\$32,008	\$70,231	\$81,087	\$93,831	\$86,817	\$83,852	\$88,580



Median Household Income by Race / Ethnicity of Householder

This indicator reports the median household income of the report area by race / ethnicity of householder.

Report Area	Non-Hispanic White	Black	Asian	American Indian or Alaska Native	Native Hawaiian or Pacific Islander	Some Other Race	Multiple Race	Hispanic or Latino
Lycoming County, PA	\$56,226	\$25,773	No data	\$39,453	No data	No data	\$39,359	\$52,872
Pennsylvania	\$66,184	\$38,560	\$76,682	\$40,622	\$47,237	\$36,566	\$48,713	\$41,725
United States	\$68,785	\$41,935	\$88,204	\$43,825	\$63,613	\$49,221	\$59,184	\$51,811



Income - Per Capita Income

The per capita income for the report area is \$27,949. This includes all reported income from wages and salaries as well as income from self-employment, interest or dividends, public assistance, retirement, and other sources. The per capita income in this report area is the average (mean) income computed for every man, woman, and child in the specified area.

Report Area	Total Population	Total Income (\$)	Per Capita Income (\$)
Lycoming County, PA	114,330	\$3,195,471,900	\$27,949
Pennsylvania	12,791,530	\$439,408,997,000	\$34,351
United States	324,697,795	\$11,073,131,694,900	\$34,102
ote: This indicator is compared to the state av	verage.		


Pennsylvania (\$34,351) United States (\$34,102)

Data Source: US Census Bureau, American Community Survey. 2015-19. Source geography: Tract

Per Capita Income by Race Alone

This indicator reports the per capita income of the report area by race alone.


Report Area	White	Black or African American	Native American or Alaska Native	Asian	Native Hawaiian or Pacific Islander	Some Other Race	Multiple Race
Lycoming County, PA	\$29,078.00	\$12,481.00	\$31,280.00	\$24,654.00	\$34,580.00	\$11,566.00	\$14,217.00
Pennsylvania	\$37,086.00	\$21,638.00	\$36,356.00	\$21,164.00	\$26,375.00	\$17,221.00	\$16,277.00
United States	\$37,326.00	\$23,383.00	\$40,524.00	\$20,844.00	\$24,961.00	\$19,071.00	\$20,296.00



Per Capita Income by Ethnicity Alone

This indicator reports the per capita income of the report area by ethnicity alone.

Report Area	Hispanic or Latino	Not Hispanic or Latino
Lycoming County, PA	\$18,022.00	\$28,152.00
Pennsylvania	\$18,566.00	\$35,597.00
United States	\$20,515.00	\$37,088.00



Poverty - Children Below 100% FPL

In the report area 20.41% or 4,669 children aged 0-17 are living in households with income below the Federal Poverty Level (FPL). This indicator is relevant because poverty creates barriers to access including health services, healthy food, and other necessities that contribute to poor health status.

Report Area	Total Population	Population Under Age 18	Population Under Age 18 in Poverty	Percent Population Under Age 18 in Poverty
Lycoming County, PA	107,874	22,875	4,669	20.41%
Pennsylvania	12,380,284	2,613,746	458,890	17.56%
United States	316,715,051	72,235,700	13,377,778	18.52%

Percent Population Under Age 18 in Poverty




Note: This indicator is compared to the state average.

Data Source: US Census Bureau, American Community Survey. 2015-19. Source geography: Tract

Children in Poverty by Gender

This indicator reports children aged 0-17 living in households with income below the federal poverty level by gender.


Report Area	Male	Female	Male, Percent	Female, Percent
Lycoming County, PA	2,265	2,404	19.43%	21.43%
Pennsylvania	234,102	224,788	17.52%	17.59%
United States	6,799,287	6,578,491	18.43%	18.61%



Children in Poverty by Ethnicity Alone

This indicator reports children aged 0-17 living in households with income below the federal poverty level by ethnicity alone.


Report Area	Hispanic or Latino	Not Hispanic or Latino	Hispanic or Latino, Percent	Not Hispanic or Latino, Percent
Lycoming County, PA	162	4,507	19.90%	20.43%
Pennsylvania	112,665	346,225	35.99%	15.05%
United States	4,839,972	8,537,806	26.63%	15.79%



Children in Poverty by Race Alone, Percent

This indicator reports percent of children aged 0-17 living in households with income below the federal poverty level by race alone.


Report Area	Non-Hispanic White	Black or African American	Native American or Alaska Native	Asian	Native Hawaiian or Pacific Islander	Some Other Race	Multiple Race
Lycoming County, PA	15.71%	67.82%	24.59%	39.57%	No data	11.46%	28.53%
Pennsylvania	10.81%	35.54%	25.74%	13.62%	47.35%	41.40%	24.48%
United States	11.13%	33.23%	32.23%	10.64%	24.13%	29.19%	18.78%



Children in Poverty by Race Alone, Total

This indicator reports the total children aged 0-17 living in households with income below the federal poverty level by race alone.

Report Area	Non-Hispanic White	Black or African American	Native American or Alaska Native	Asian	Native Hawaiian or Pacific Islander	Some Other Race	Multiple Race
Lycoming County, PA	3,031	1,039	15	93	0	18	311
Pennsylvania	189,491	125,953	1,580	12,492	330	33,931	37,666
United States	4,070,361	3,346,711	231,663	370,660	35,458	1,356,208	905,096



Poverty - Children Eligible for Free/Reduced Price Lunch

Free or reduced price lunches are served to qualifying students in families with income between under 185 percent (reduced price) or under 130% (free lunch) of the US federal poverty threshold as part of the federal National School Lunch Program (NSLP).

Out of 15,410 total public school students in the report area, 7,439 were eligible for the free or reduced price lunch program in the latest report year. This represents 48.3% of public school students, which is lower than the state average of 50.9%.


Report Area	Total Students	Students Eligible for Free or Reduced Price Lunch	Students Eligible for Free or Reduced Price Lunch, Percent	Percentage of Students Eligible for Free or Reduced Price School Lunch
Lycoming County, PA	15,410	7,439	48.3%	
Pennsylvania	1,710,571	870,251	50.9%	0% 100% Lycoming County (48.3%)
United States	50,744,629	25,124,175	49.5%	 Pennsylvania (50.9%) United States (49.5%)

Note: This indicator is compared to the state average. Data Source: National Center for Education Statistics, NCES - Common Core of Data. 2018-19. Source geography: Address

Children Eligible for Free or Reduced Price Lunch by School Year, 2012-13 through 2018-19

The table below shows local, state, and national trends in student free and reduced lunch eligibility by percent.

Report Area	2012-13	2013-14	2014-15	2015-16	2016-17	2017-18	2018-19
Lycoming County, PA	40.8%	42.3%	43.1%	41.8%	48.5%	48.5%	48.3%
Pennsylvania	42.1%	43.9%	46%	48.5%	47.9%	47.9%	51.3%
United States	51.8%	52.4%	52.3%	52.7%	52.1%	52.1%	52.4%



Children Eligible for Free or Reduced Price Lunch by Eligibility

The table below displays the number and percentage of students eligible for free or reduced price lunch by income eligibility category. Percentages in the table below are out of the total student population.

Report Area	Free Lunch, Total	Free Lunch, Percent	Reduced Lunch, Total	Reduced Lunch, Percent
Lycoming County, PA	6,726	43.6%	713	4.6%
Pennsylvania	821,425	48.0%	48,826	2.9%
United States	21,661,831	43.0%	2,568,683	5.1%

The chart below displays the percentage of the students in each eligibility category out of the total number of students eligible for free or reduced price lunch.



Poverty - Population Below 100% FPL

Poverty is considered a key driver of health status.

Within the report area 13.62% or 14,691 individuals are living in households with income below the Federal Poverty Level (FPL). This indicator is relevant because poverty creates barriers to access including health services, healthy food, and other necessities that contribute to poor health status.

Lycoming (13.62%)

🔴 Pennsylvania (12.43%) United States (13.42%)

Report Area	Total Population	Total Population Population in Poverty Population in	
Lycoming County, PA	107,874	14,691	13.62%
Pennsylvania	12,380,284	1,539,183	12.43%
United States	316,715,051	42,510,843	13.42%


Note: This indicator is compared to the state average.

Data Source: US Census Bureau, American Community Survey. 2015-19. Source geography: Tract

Population in Poverty by Gender


This indicator reports the population in poverty in the report area by gender.

Report Area	Male	Female	Male, Percent	Female, Percent
Lycoming County, PA	6,450	8,241	12.10%	15.10%
Pennsylvania	679,545	859,638	11.26%	13.55%
United States	18,909,451	23,601,392	12.19%	14.61%



Population in Poverty by Ethnicity Alone


Report Area	Hispanic or Latino	Not Hispanic or Latino	Hispanic or Latino, Percent	Not Hispanic or Latino, Percent
Lycoming County, PA	388	14,303	19.15%	13.51%
Pennsylvania	253,077	1,286,106	28.08%	11.20%
United States	11,256,244	31,254,599	19.64%	12.05%



Population in Poverty Race Alone, Percent

This indicator reports the percentage of population in poverty in the report area by race alone.


Report Area	White	Black or African American	Native American or Alaska Native	Asian	Native Hawaiian or Pacific Islander	Some Other Race	Multiple Race
Lycoming County, PA	11.77%	44.71%	20.93%	25.73%	0.00%	15.92%	29.09%
Pennsylvania	9.72%	25.97%	24.56%	13.88%	24.50%	31.36%	22.04%
United States	11.15%	23.04%	24.86%	10.94%	17.51%	21.04%	16.66%



Population in Poverty by Race Alone, Total

This indicator reports the total population in poverty in the report area by race alone.

Report Area	Non-Hispanic White	Black or African American	Native American or Alaska Native	Asian	Native Hawaiian or Pacific Islander	Some Other Race	Multiple Race
Lycoming County, PA	11,777	2,077	45	202	0	50	540
Pennsylvania	972,867	350,457	5,730	58,438	983	83,498	67,210
United States	25,658,220	9,114,217	660,695	1,922,319	101,826	3,313,183	1,740,383



Housing and Families

This category contains indicators that describe the structure of housing and families, and the condition and quality of housing units and residential neighborhoods. These indicators are important because housing issues like overcrowding and affordability have been linked to multiple health outcomes, including infectious disease, injuries, and mental disorders. Furthermore, housing metrics like home-ownership rates and housing prices are key for economic analysis.

Households - Overview

This indicator reports the total number and percentage of households by composition (married couple family, nonfamily, etc.). According to the American Community Survey subject definitions, a family household is any housing unit in which the householder is living with one or more individuals related to him or her by birth, marriage, or adoption*. A non-family households is any household occupied by the householder alone, or by the householder and one or more unrelated individuals.

*Family households and married-couple families do not include same-sex married couples even if the marriage was performed in a state issuing marriage certificates for same-sex couples. Same sex couple households are included in the family households category if there is at least one additional person related to the householder by birth or adoption.


Report Area	Total Households	Family Households	Family Households, Percent	Non-Family Households	Non-Family Households, Percent	
Lycoming County, PA	45,608	29,740	65.21%	15,868	34.79%	
Pennsylvania	5,053,106	3,236,352	64.05%	1,816,754	35.95%	
United States	120,756,048	79,114,031	65.52%	41,642,017	34.48%	

Data Source: US Census Bureau, American Community Survey. 2015-19. Source geography: Tract

Households by Composition and Relationship to Householder

This indicator reports households by composition and relationship to householder.


Report Area	Total Households	Married Family Households	Single Male Family Households	Single Female Family Households	Non-Family Households
Lycoming County, PA	45,608	22,553	2,441	4,746	15,868
Pennsylvania	5,053,106	2,408,734	233,402	594,216	1,816,754
United States	120,756,048	58,198,771	5,898,296	15,016,964	41,642,017



Households with Children by Composition and Relationship to Householder, Percentage of Total Households

This indicator reports households with children by composition and relationship to householder by percentage of total households.


Report Area	All Household Types	Married Family Households	Single-Male Family Households	Single-Female Family Households	Non-Family Households
Lycoming County, PA	28.01%	17.56%	3.24%	6.96%	0.24%
Pennsylvania	28.06%	18.12%	2.49%	7.19%	0.26%
United States	31.05%	20.26%	2.70%	7.81%	0.28%



Households with Children by Composition and Relationship to Householder, Total

This indicator reports the total number of households with children by composition and relationship to householder.

Report Area	All Household Types	Married Family Households	Single-Male Family Households	Single-Female Family Households	Non-Family Households
Lycoming County, PA	12,773	8,008	1,479	3,175	111
Pennsylvania	1,417,760	915,469	125,717	363,499	13,075
United States	37,494,224	24,465,699	3,258,322	9,427,068	343,135



Evictions

This indicator reports information about formal evictions based on court records from 48 states and the District of Columbia, compiled by the Eviction Lab. The number evictions and eviction filings within the report area is shown in below. The "filing rate" is the ratio of the number of evictions filed in an area over the number of renter-occupied homes in that area. An "eviction rate" is the subset of those homes that received an eviction judgment in which renters were ordered to leave. For the year 2016, the Eviction Lab reports that, of 15,903 homes in the report area, there were 545 eviction filings, for an eviction filing rate of 3.43%. 221 of the eviction filings ended in an eviction, for an eviction rate of 1.39%.

Note: Not all counties have data that has been provided. Indicator data do not include information about "informal evictions", or those that happen outside of the courtroom.


Report Area	Renter Occupied Households	Eviction Filings	Evictions	Eviction Filing Rate	Eviction Rate
Lycoming County, PA	15,903	545	221	3.43%	1.39%
Pennsylvania	1,655,031	87,898	29,257	5.31%	1.77%
United States	38,372,860	2,350,042	898,479	6.12%	2.34%

Note: This indicator is compared to the state average. Data Source: Eviction Lab. 2016. Source geography: Census Tract



Eviction Filing Rate by Year, 2007 - 2016

Report Area	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016
Lycoming County, PA	2.8%	2.9%	5.0%	5.1%	5.3%	5.0%	4.9%	5.2%	5.5%	3.4%
Pennsylvania	6.4%	6.6%	6.7%	7.1%	7.3%	7.3%	7.4%	7.3%	7.1%	5.3%
United States	6.3%	6.4%	6.4%	7.0%	7.2%	7.0%	6.7%	6.6%	6.2%	6.1%




Eviction Filing Rate by Neighborhood Predominant Race/Ethnicity, 2016

Rates by race/ethnicity are calculated by aggregating data on evictions in census block groups with a majority of the population (over 50%) belonging to a specific race/ethnicity. Reported race/ethnicity categories include: Non-Hispanic White; Black or Africa American; Asian, and Hispanic or Latino. In some counties there are no majority Black, Asian, or Hispanic census block groups.

Note: Not all counties or states have data that has been provided.

Report Area	White	Black	Asian	Hispanic or Latino
Lycoming County, PA	1.36%	0.07%	0.00%	No data
Pennsylvania	1.25%	0.55%	0.01%	0.19%
United States	1.50%	0.80%	0.01%	0.39%



Eviction Filings by Neighborhood Predominant Race/Ethnicity, 2016

Totals by race/ethnicity are calculated by aggregating data on evictions in census block groups with a majority of the population (over 50%) belonging to a specific race/ethnicity. Reported race/ethnicity categories include: Non-Hispanic White; Black or Africa American; Asian, and Hispanic or Latino. In some counties there are no majority Black, Asian, or Hispanic census block groups.

Note: Not all counties or states have data that	has been provided.
---	--------------------

Report Area	White	Black	Asian	Hispanic or Latino
Lycoming County, PA	210	11	0	No data
Pennsylvania	15,987	7,099	66	2,410
United States	405,649	217,305	1,960	105,380

Housing Costs - Cost Burden (30%)

This indicator reports the percentage of the households where housing costs are 30% or more of total household income. This indicator provides information on the cost of monthly housing expenses for owners and renters. The information offers a measure of housing affordability and excessive shelter costs. The data also serve to aid in the development of housing programs to meet the needs of people at different economic levels. Of the 45,608 total households in the report area, 12,896 or 28.28% of the population live in cost burdened households.


Report Area	Total Households	Cost Burdened Households (Housing Costs Exceed 30% of Income)	Cost Burdened Households, Percent	Percentage of Households where Housing Costs Exceed 30% of Income
Lycoming County, PA	45,608	12,896	28.28%	
Pennsylvania	5,053,106	1,417,352	28.05%	0% 50%
United States	120,756,048	37,249,895	30.85%	 Pennsylvania (28.05%) United States (30.85%)

Note: This indicator is compared to the state average. Data Source: US Census Bureau, American Community Survey. 2015-19. Source geography: Tract

Cost Burdened Households by Tenure, Total

These data show the number of households that spend more than 30% of the household income on housing costs. In the report area, there were 12,896 cost burdened households according to the U.S. Census Bureau American Community Survey (ACS) 2014-2019 5-year estimates. The data for this indicator is only reported for households where household housing costs and income earned was identified in the American Community Survey.


Report Area	Cost Burdened Households	Cost Burdened Rental Households	Cost Burdened Owner Occupied Households (With Mortgage)	Cost Burdened Owner Occupied Households (With No Mortgage)
Lycoming County, PA	12,896	6,355	4,713	1,828
Pennsylvania	1,417,352	692,584	520,428	204,340
United States	37,249,895	20,002,945	13,400,012	3,846,938



Cost Burdened Households by Tenure, Percent

These data show the percentage of households by tenure that are cost burdened. Cost burdened rental households (those that spent more than 30% of the household income on rental costs) represented 45.31% of all of the rental households in the report area, according to the U.S. Census Bureau American Community Survey (ACS) 2014-2019 5-year estimates. The data for this indicator is only reported for households where tenure, household housing costs, and income earned was identified in the American Community Survey.

Report Area	Rental Households	Percentage of Rental Households that are Cost Burdened	Owner Occupied Households (With Mortgage)	Percentage of Owner Occupied Households w/ Mortgages that are Cost Burdened	Owner Occupied Households (No Mortgage)	Percentage of Owner Occupied Households w/o Mortgages that are Cost Burdened
Lycoming County, PA	14,027	45.31%	18,336	25.70%	13,245	13.80%
Pennsylvania	1,572,128	44.05%	2,092,266	24.87%	1,388,712	14.71%
United States	43,481,667	46.00%	48,416,627	27.68%	28,857,754	13.33%



Housing Quality - Substandard Housing

This indicator reports the number and percentage of owner- and renter-occupied housing units having at least one of the following conditions: 1) lacking complete plumbing facilities, 2) lacking complete kitchen facilities, 3) with 1 or more occupants per room, 4) selected monthly owner costs as a percentage of household income greater than 30%, and 5) gross rent as a percentage of household income greater than 30%. Selected conditions provide information in assessing the quality of the housing inventory and its occupants. This data is used to easily identify homes where the quality of living and housing can be considered substandard. Of the 45,608 total occupied housing units in the report area, 12,808 or 28.08% have one or more substandard conditions.


Report Area	Total Occupied Housing Units	Occupied Housing Units with One or More Substandard Conditions	Occupied Housing Units with One or More Substandard Conditions, Percent	Occupied Housing Units with One or More Substandard Conditions, Percent
Lycoming County, PA	45,608	12,808	28.08%	
Pennsylvania	5,053,106	1,417,722	28.06%	0% 50%
United States	120,756,048	38,530,862	31.91%	 Pennsylvania (28.06%) United States (31.91%)

Note: This indicator is compared to the state average.

Data Source: US Census Bureau, American Community Survey. 2015-19. Source geography: Tract

Substandard Housing: Number of Substandard Conditions Present


Report Area	No Conditions	One Condition	Two or Three Conditions	Four Conditions
Lycoming County, PA	71.92%	27.59%	0.49%	0.00%
Pennsylvania	71.94%	26.86%	1.19%	0.01%
United States	68.09%	30.03%	1.87%	0.01%



Substandard Housing: Households Lacking Complete Plumbing Facilities

Complete plumbing facilities include: (a) hot and cold running water, (b) a flush toilet, and (c) a bathtub or shower. All three facilities must be located inside the house, apartment, or mobile home, but not necessarily in the same room. Housing units are classified as lacking complete plumbing facilities when any of the three facilities is not present.


Report Area	Occupied Housing Units	Housing Units Lacking Complete Plumbing Facilities	Housing Units Lacking Complete Plumbing Facilities, Percent
Lycoming County, PA	45,608	90	0.20%
Pennsylvania	5,053,106	19,650	0.39%
United States	120,756,048	468,497	0.39%



Substandard Housing: Households Lacking Complete Kitchen Facilities

A unit has complete kitchen facilities when it has all three of the following facilities: (a) a sink with a faucet, (b) a stove or range, and (c) a refrigerator. All kitchen facilities must be located in the house, apartment, or mobile home, but they need not be in the same room. A housing unit having only a microwave or portable heating equipment such as a hot plate or camping stove should not be considered as having complete kitchen facilities. An icebox is not considered to be a refrigerator.


Report Area	Occupied Housing Units	Housing Units Lacking Complete Kitchen Facilities	Housing Units Lacking Complete Kitchen Facilities, Percent
Lycoming County, PA	53,428	1,810	3.39%
Pennsylvania	5,693,314	194,076	3.41%
United States	137,428,986	3,840,988	2.79%



Substandard Housing: Households Lacking Telephone Service

A telephone must be in working order and service available in the house, apartment, or mobile home that allows the respondent to both make and receive calls. Households that have cell-phones (no land-line) are counted as having telephone service available. Households whose service has been discontinued for nonpayment or other reasons are not counted as having telephone service available.

Report Area	Housing Units Lacking Telephone Service	Housing Units Lacking Telephone Service	Owner-Occupied Units Lacking Telephone Service	Owner-Occupied Units Lacking Telephone Service	Renter-Occupied Units Lacking Telephone Service	Renter-Occupied Units Lacking Telephone Service
Lycoming County, PA	768	1.68%	404	1.28%	364	2.59%
Pennsylvania	83,335	1.65%	39,385	1.13%	43,950	2.80%
United States	2,317,813	1.92%	987,063	1.28%	1,330,750	3.06%



Housing Stock - Age

This indicator reports, for a given geographic area, the median year in which all housing units (vacant and occupied) were first constructed. The year the structure was built provides information on the age of housing units. These data help identify new housing construction and measures the disappearance of old housing from the inventory, when used in combination with data from previous years. This data also serves to aid in the development of formulas to determine substandard housing and provide assistance in forecasting future services, such as energy consumption and fire protection. There are a total 53,428 housing units in the report area, and the median year built is 1960.

Report Area	Total Housing Units	Median Year Structures Built
Lycoming County, PA	53,428	1960
Pennsylvania	5,693,314	1963
United States	137,428,986	1978


Data Source: US Census Bureau, American Community Survey. 2015-19. Source geography: Tract

All Housing Units by Age (Time Period Constructed), Total

Report Area	Before 1960	1960-1979	1980-1999	2000-2010	After 2010
Lycoming County, PA	26,893	12,464	9,643	3,454	974
Pennsylvania	2,682,127	1,281,988	1,091,801	471,594	165,804
United States	38,219,876	35,404,384	37,527,914	19,186,932	7,089,880

All Housing Units by Age (Time Period Constructed), Percentage

Report Area	Before 1960	1960-1979	1980-1999	2000-2010	After 2010
Lycoming County, PA	50.34%	23.33%	18.05%	6.46%	1.82%
Pennsylvania	47.11%	22.52%	19.18%	8.28%	2.91%
United States	27.81%	25.76%	27.31%	13.96%	5.16%




Owner-Occupied Housing Units by Age, Total

Report Area	Before 1960	1960-1979	1980-1999	2000-2010	After 2010
Lycoming County, PA	15,289	7,166	6,349	2,170	607
Pennsylvania	1,581,300	750,094	715,941	336,158	97,485
United States	20,814,679	18,958,153	21,451,529	12,189,768	3,860,252

Owner-Occupied Housing Units by Age, Percentage

Report Area	Before 1960	1960-1979	1980-1999	2000-2010	After 2010
Lycoming County, PA	48.41%	22.69%	20.10%	6.87%	1.92%
Pennsylvania	45.43%	21.55%	20.57%	9.66%	2.80%
United States	26.94%	24.53%	27.76%	15.77%	5.00%




Renter-Occupied Housing Units by Age, Total

Report Area	Before 1960	1960-1979	1980-1999	2000-2010	After 2010
Lycoming County, PA	7,540	12,464	1,981	702	288
Pennsylvania	761,750	1,281,988	267,123	91,682	51,819
United States	12,345,064	35,404,384	11,688,214	4,823,321	2,441,519

Renter-Occupied Housing Units by Age, Percentage

Report Area	Before 1960	1960-1979	1980-1999	2000-2010	After 2010
Lycoming County, PA	53.75%	25.07%	14.12%	5.00%	2.05%
Pennsylvania	48.45%	25.43%	16.99%	5.83%	3.30%
United States	28.39%	28.02%	26.88%	11.09%	5.62%



Clinical Care and Prevention

A lack of access to care presents barriers to good health. Supply of facilities and physicians, the rate of uninsurance, financial hardship, transportation barriers, cultural competency, and coverage limitations affect access.

Rates of morbidity, mortality, and emergency hospitalizations can be reduced if community residents access services such as health screenings, routine tests, and vaccinations. Prevention indicators can call attention to a lack of access or knowledge regarding one or more health issues and can inform program interventions.

Cancer Screening - Mammogram


This indicator reports the percentage of female Medicare beneficiaries age 35 and older who had a mammogram in most recent reporting year. The American Cancer Society recommends that women age 45 to 54 should get a mammogram every year, and women age 55 and older should get a mammogram every other year. In the latest reporting period there were 16,151 Medicare beneficiaries in the report area, and 41% of female beneficiaries age 35 or older had a mammogram in the past year. The rate in the report area was higher than the state rate of 34% during the same time period.



Breast Cancer Screening by Year

The table and chart below display local, state, and national trends in annual breast exam rates among female Medicare beneficiaries age 35 and older.

Report Area	2012	2013	2014	2015	2016	2017
Lycoming County, PA	37%	36%	36%	36%	39%	41%
Pennsylvania	32%	32%	32%	32%	33%	34%
United States	32%	32%	31%	32%	32%	32%



Diabetes Management - Hemoglobin A1c Test

This indicator reports the percentage of diabetic Medicare patients who have had a hemoglobin A1c (hA1c) test, a blood test which measures blood sugar levels, administered by a health care professional in the past year. In the report area, 1,186 Medicare enrollees with diabetes have had an annual exam out of 1,335 Medicare enrollees in the report area with diabetes, or 88.9%. This indicator is relevant because engaging in preventive behaviors allows for early detection and treatment of health problems. This indicator can also highlight a lack of access to preventive care, a lack of health knowledge, insufficient provider outreach, and/or social barriers preventing utilization of services.

Report Area	Total Medicare Enrollees	Medicare Enrollees with Diabetes	Medicare Enrollees with Diabetes with Annual Exam	Medicare Enrollees with Diabetes with Annual Exam, Percent	Medicare Enrollees with Diabetes with Annual Exam, Percent
Lycoming County, PA	12,256	1,335	1,186	88.9%	0% 100%
Pennsylvania	1,069,125	110,932	96,349	86.9%	Pennsylvania (86.9%)
United States	26,937,083	2,919,457	2,501,671	85.7%	United States (85.7%)


Note: This indicator is compared to the state average.

Data Source: Dartmouth College Institute for Health Policy & Clinical Practice, Dartmouth Atlas of Health Care. 2015. Source geography: County

Annual Hemoglobin A1c Test by Year, 2009 through 2015

Percent of Medicare Beneficiaries with Diabetes with Annual Hemoglobin A1c Test

Report Area	2009	2010	2011	2012	2013	2014	2015
Lycoming County, PA	86.85	75.72	87.35	89.42	88.30	88.51	88.91
Pennsylvania	84.98	84.03	84.42	85.83	85.67	86.29	86.86
United States	83.52	83.81	84.18	84.57	84.92	85.16	85.69




Hospitalizations - Preventable Conditions

This indicator reports the preventable hospitalization rate among Medicare beneficiaries for the latest reporting period. Preventable hospitalizations include hospital admissions for one or more of the following conditions: diabetes with short-term complications, diabetes with long-term complications, uncontrolled diabetes without complications, diabetes with lowerextremity amputation, chronic obstructive pulmonary disease, asthma, hypertension, heart failure, bacterial pneumonia, or urinary tract infection. Rates are presented per 100,000 beneficiaries. In the latest reporting period there were 16,151 Medicare beneficiaries in the report area. The preventable hospitalization rate was 3,443. The rate in the report area was lower than the state rate of 4,623 during the same time period.

Report Area	Medicare Beneficiaries	Preventable Hospitalizations, Rate per 100,000 Beneficiaries	Preventable Hospital Events, Rate per 100,000 Beneficiaries
Lycoming County, PA	16,151	3,443	
Pennsylvania	1,354,331	4,623	
United States	33,648,235	4,624	0 6000

Note: This indicator is compared to the state average


Data Source: Centers for Medicare and Medicaid Services, Mapping Medicare Disparities Tool. 2017. Source geography: County



Preventable Hospitalization Rate by Year

The table and chart below display local, state, and national trends in preventable hospitalization rates among Medicare beneficiaries.


Report Area	2012	2013	2014	2015	2016	2017
Lycoming County, PA	3,606	3,987	3,744	3,585	3,625	3,443
Pennsylvania	4,998	4,732	4,344	4,046	4,516	4,623
United States	5,060	4,758	4,523	4,192	4,598	4,624



Preventable Hospitalization Rate by Race and Ethnicity

The table and chart below display local, state, and national trends in preventable hospitalization rates among Medicare beneficiaries for the latest report year (2017) by patient race and ethnicity.

Report Area	Non-Hispanic White	Black or African American	Hispanic or Latino
Lycoming County, PA	3,441	2,309	6,892
Pennsylvania	4,474	6,970	5,902
United States	4,447	6,961	4,699



Health Behaviors

Health behaviors such as poor diet, a lack of exercise, and substance abuse contribute to poor health status.

Alcohol Consumption

In the report area, 19.38%, or 22,060 adults self-report excessive drinking in the last 30 days. Data for this indicator are based on survey responses to the 2015, 2016, and 2017 Behavioral Risk Factor Surveillance System (BRFSS) annual surveys. Excessive drinking is defined as the percentage of the population who report at least one binge drinking episode involving five or more drinks for men and four or more for women over the past 30 days, or heavy drinking involving more than two drinks per day for men and more than one per day for women, over the same time period. Alcohol use is a behavioral health issue that is also a risk factor for a number of negative health outcomes, including: physical injuries related to motor vehicle accidents, stroke, chronic diseases such as heart disease and cancer, and mental health conditions such as depression and suicide. There are a number of evidence-based interventions that may reduce excessive/binge drinking; examples include raising taxes on alcoholic beverages, restricting access to alcohol by limiting days and hours of retail sales, and screening and counseling for alcohol abuse (Centers for Disease Control and Prevention, Alcohol Use, 2016).

Report Area	Adult Population	Adults Reporting Excessive Drinking	Percentage of Adults Reporting Excessive Drinking	Percentage of Adults Self- Reporting Excessive Drinking 2016
Lycoming County, PA	113,841	22,060	19.38%	
Pennsylvania	12,805,537	2,459,545	19.21%	0% 20%
United States	325,719,178	60,224,919	18.49%	 Pennsylvania (19.21%) United States (18.49%)

Note: This indicator is compared to the state average

Data Source: University of Wisconsin Population Health Institute, County Health Rankings. 2017. Source geography: County

Physical Inactivity

Within the report area, 19,033 or 20.3% of adults aged 20 and older self-report no active leisure time, based on the question: "During the past month, other than your regular job, did you participate in any physical activities or exercises such as running, calisthenics, golf, gardening, or walking for exercise?" This indicator is relevant because current behaviors are determinants of future health and this indicator may illustrate a cause of significant health issues, such as obesity and poor cardiovascular health.

Report Area	Population Age 20+	Adults with No Leisure Time Physical Activity	Adults with No Leisure Time Physical Activity, Percent	Percentage of Adults with No Leisure-Time Physical Acitvity, 2016
Lycoming County, PA	87,307	19,033	20.3%	
Pennsylvania	9,782,259	2,149,232	20.9%	0% 50%
United States	243,068,284	55,261,407	22.1%	 Pennsylvania (20.9%) United States (22.1%)


Note: This indicator is compared to the state average.

Data Source: Centers for Disease Control and Prevention, National Center for Chronic Disease Prevention and Health Promotion. 2017. Source geography: County

Adults with No Leisure-Time Physical Activity by Gender, 2017

The table below displays national, state, and local variation in the percentage of adults reporting no leisure-time physical by gender.


Report Area	Male	Male, Percent	Female	Female, Percent
Lycoming County, PA	8,917	20.1%	10,116	20.3%
Pennsylvania	962,505	19.6%	1,186,722	22.0%
United States	24,806,207	20.6%	30,455,202	23.5%



Percentage of Adults Physically Inactive by Year

The table below displays trends in the percentage of adults reporting no leisure-time physical activity for years 2004 through 2017.

Report Area	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017
Lycoming County, PA	22.9%	22.8%	23.8%	23.5%	26.5%	27.5%	27.2%	24.1%	23.7%	23.7%	26.6%	25.3%	24.6%	20.3%
Pennsylvania	23.7%	23.8%	23.6%	23.7%	24.7%	25.3%	24.8%	23.2%	22.9%	22.0%	23.0%	21.3%	22.1%	20.9%
United States	23.0%	22.8%	22.9%	23.2%	23.5%	23.7%	23.4%	22.5%	22.6%	21.8%	22.6%	21.6%	22.8%	22.1%



STI - Chlamydia Incidence

This indicator reports the number chlamydia cases occurring in the report area. Rates are presented per 100,000 population.

The number of cases are based on laboratory-confirmed diagnoses that occurred between January 1st and December 31st of the latest reporting year. These data are delivered to and analyzed by the CDC as part of the Nationally notifiable STD surveillance system.

nsylvania 12,805,537 59,340 463.4	Report Area	Total Population	Chlamydia Infections	Chlamydia Infections, Rate per 100,000 Pop.
	Lycoming County, PA	113,841	465	408.5
	Pennsylvania	12,805,537	59,340	463.4
eu states 325,119,176 1,758,008 539.9	United States	325,719,178	1,758,668	539.9

Note: This indicator is compared to the state average.


Data Source: Centers for Disease Control and Prevention, National Center for HIV/AIDS, Viral Hepatitis, STD, and TB Prevention. 2018. Source geography: County

United States (539.9)

Chlamydia Incidence Rate by Race / Ethnicity

The table below displays national, state, and local variation in the rate of diagnosed chlamydia cases for the latest report year by population race and ethnicity.


Report Area	Non-Hispanic White	Non-Hispanic Black	Asian	American Indian or Alaska Native	Hispanic or Latino
Lycoming County, PA	No data	No data	No data	No data	No data
Pennsylvania	139.9	1,452.9	120.1	271.8	559.3
United States	212.1	1,192.5	132.1	784.8	392.6



Chlamydia Incidence Rate by Year

The table below displays trends in the rate of diagnosed chlamydia cases for years 2005 through 2018. Rates are expressed per 100,000 total population.

Report Area	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018
Lycoming County, PA	227.2	230.3	262.0	318.8	276.4	317.8	442.0	418.9	367.4	346.9	337.8	337.8	329.4	408.5
Pennsylvania	300.1	316.7	339.3	336.2	341.8	373.8	415.1	430.8	407.2	395.2	417.6	444.7	440.8	463.4
United States	330.3	345.4	367.7	398.0	405.7	422.8	453.4	453.4	443.5	456.1	475.0	497.3	524.6	539.9



STI - Gonorrhea Incidence

This indicator reports the number gonorrhea cases occurring in the report area. Rates are presented per 100,000 population.

The number of cases are based on laboratory-confirmed diagnoses that occurred between January 1st and December 31st of the latest reporting year. These data are delivered to and analyzed by the CDC as part of the Nationally notifiable STD surveillance system.

Report Area	Total Population	Gonorrhea Infections	Gonorrhea Infections, Rate per 100,000 Pop.
Lycoming County, PA	113,841	43	37.8
Pennsylvania	12,805,537	15,887	124.1
United States	325,719,178	583,405	179.1

United States (179.1)


Note: This indicator is compared to the state average.

Data Source: Centers for Disease Control and Prevention, National Center for HIV/AIDS, Viral Hepatitis, STD, and TB Prevention. 2018. Source geography: County

Gonorrhea Incidence Rate by Race / Ethnicity

The table below displays national, state, and local variation in the rate of diagnosed gonorrhea cases for the latest report year by population race and ethnicity.


Report Area	Non-Hispanic White	Non-Hispanic Black	Asian	American Indian or Alaska Native	Hispanic or Latino	
Lycoming County, PA	No data	No data	No data	No data	No data	
Pennsylvania	33.3	527.5	29.4	54.4	136.6	
United States	71.1	548.9	35.1	329.5	115.9	



Gonorrhea Incidence Rate by Year

The table below displays trends in the rate of diagnosed gonorrhea cases for years 2005 through 2018. Rates are expressed per 100,000 total population.

Report Area	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018
Lycoming County, PA	31.3	39.9	97.6	36.9	30.0	88.7	116.5	101.9	51.4	15.4	35.3	40.5	58.0	37.8
Pennsylvania	90.4	92.0	101.5	88.1	80.4	101.4	108.1	120.6	108.6	99.5	99.9	114.1	119.0	124.1
United States	114.9	120.1	118.1	110.7	98.2	100.0	103.3	106.7	105.3	110.7	123.0	145.8	170.6	179.1



STI - HIV Prevalence

This indicator reports the prevalence of HIV in the report area as a rate per 100,000 population over age 13. The data reflect persons living with diagnosed HIV infection at the end of the latest reporting year, or persons living with infection ever classified as stage 3 (AIDS) at the end of the latest report year.

Report Area Population Age 13 oming County, PA 97,0	• •	Population with HIV / AIDS, Rate per 100,000 Pop. 124.6
nnsylvania 10,927,1	.19 36,144	330.8
ited States 274,605,9	1,023,832	372.8

Note: This indicator is compared to the state average.


Data Source: Centers for Disease Control and Prevention, National Center for HIV/AIDS, Viral Hepatitis, STD, and TB Prevention. 2018. Source geography: County

HIV Prevalence Rate by Race / Ethnicity

The table below displays trends in the prevalence rate for HIV/AIDS for the latest report year by population race and ethnicity.

United States (372.8)


Report Area	Non-Hispanic White	Non-Hispanic Black	Asian	American Indian or Alaska Native	Hispanic or Latino
Lycoming County, PA	50.5	1,263.7	0.0	No data	679.6
Pennsylvania	125.0	1,511.9	79.2	241.8	851.0
United States	1,004.4	1,252.9	93.6	158.2	499.9



HIV Prevalence Rate by Year

The table below displays trends in the prevalence rate for HIV/AIDS for years 2009 through 2018. Rates are expressed per 100,000 population age 13 and older.

Report Area	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018
Lycoming County, PA	222.7	223.8	No data	200.6	202.3	No data	189.5	92.9	167.5	124.6
Pennsylvania	279.7	285.9	289.1	295.8	301.2	308.6	314.4	326.9	325.4	330.8
United States	322.2	329.7	336.8	343.5	353.2	355.8	362.3	361.1	367.0	372.8



Tobacco Usage - Current Smokers

This indicator reports the percentage of adults who report that they smoke most days or every day.

Report Area	Population Age 20+	Current Smokers	Current Smokers, Percent	Percentage of Adults who are Current Smokers
Lycoming County, PA	27,769	5,363	19.3%	
Pennsylvania	6,325,940	1,144,898	18.1%	
United States	170,662,372	26,830,634	15.7%	0% 100%

Note: This indicator is compared to the state average.

Data Source: Centers for Disease Control and Prevention, Behavioral Risk Factor Surveillance System. Accessed via County Health Rankings. 2020. Source geography: County

Health Outcomes

Measuring morbidity and mortality rates allows assessing linkages between social determinants of health and outcomes. By comparing, for example, the prevalence of certain chronic diseases to indicators in other categories (e.g., poor diet and exercise) with outcomes (e.g., high rates of obesity and diabetes), various causal relationship may emerge, allowing a better understanding of how certain community health needs may be addressed.

Lycoming County (19.3%)


Pennsylvania (18.1%) United States (15.7%)

Cancer Incidence - All Sites

This indicator reports the age adjusted incidence rate (cases per 100,000 population per year) of cancer (all sites) adjusted to 2000 U.S. standard population age groups (Under age 1, 1-4, 5-9, ..., 80-84, 85 and older).

In the report area, there were 754 new cases of cancer reported, for an incidence rate of 496.3 per 100,000 people. Statewide, the incidence rate is 484.6 per 100,000 people.

Report Area	Estimated Total Population	New Cases (Annual Average)	Cancer Incidence Rate (Per 100,000 Pop.)
Lycoming County, PA	151,924	754	496.3
Pennsylvania	16,424,886	79,595	484.6
United States	372,877,646	1,673,102	448.7



Cancer Incidence Rate


Pennsylvania (484.6)
United States (448.7)

Note: This indicator is compared to the state average. Data Source: State Cancer Profiles. 2013-17. Source geography: County

Cancer Incidence Rate (Per 100,000 Pop.) by Race / Ethnicity

This table reports the age-adjusted cancer incidence rate for the 5-year period 2012-2016 by race and by Hispanic origin.

Report Area	White	Black	Asian or Pacific Islander	American Indian or Alaskan Native	Hispanic or Latino
Lycoming County, PA	493.5	628.4	Suppressed	Suppressed	Suppressed
Pennsylvania	480.3	484.9	278.1	164.6	361.2
United States	451	447.6	290.6	288.8	344.8



Cancer Incidence (Average Annual New Cases) by Race / Ethnicity

This table reports the age-adjusted cancer incidence for the 5-year period 2012-2016 by race and by Hispanic origin.

Report Area	White	Black	Asian or Pacific Islander	American Indian or Alaskan Native	Hispanic or Latino
Lycoming County, PA	723	24	Suppressed	Suppressed	Suppressed
Pennsylvania	69,937	6,981	1,029	63	1,829
United States	1,397,283	183,399	54,596	10,030	131,934


Top Five Most Commonly Diagnosed Cancers

The counts and age-adjusted incidence rates of the five most common newly diagnosed cancers by site are presented in the table below.

Area Name	Cancer Site	Incidence	Age-Adjusted Rate
Lycoming County, Pennsylvania(6,8)	1 - Breast (All Stages^), 2013-2017	113	143.1
Lycoming County, Pennsylvania(6,8)	2 - Lung & Bronchus (All Stages^), 2013-2017	107	67.7
Lycoming County, Pennsylvania(6,8)	3 - Prostate (All Stages^), 2013-2017	68	88.3
Lycoming County, Pennsylvania(6,8)	4 - Colon & Rectum (All Stages^), 2013-2017	60	39.3
Lycoming County, Pennsylvania(6,8)	5 - Bladder (All Stages^), 2013-2017	45	28.1
Pennsylvania(6,8)	1 - Breast (All Stages^), 2013-2017	11,177	132.3
Pennsylvania(6,8)	2 - Lung & Bronchus (All Stages^), 2013-2017	10,867	63.5
Pennsylvania(6,8)	3 - Prostate (All Stages^), 2013-2017	8,493	103.7
Pennsylvania(6,8)	4 - Colon & Rectum (All Stages^), 2013-2017	6,796	41.1
Pennsylvania(6,8)	5 - Bladder (All Stages [^]), 2013-2017	4,085	23.9

Chronic Conditions - Asthma (Medicare Population)

Within the report area, there were 719 beneficiaries with asthma based on administrative claims data in the latest report year. This represents 4.5% of the total Medicare fee-for-service beneficiaries.




Note: This indicator is compared to the state average.

Data Source: Centers for Medicare and Medicaid Services, CMS Geographic Variation Public Use File . 2018. Source geography: County

Medicare Population with Asthma by Year, 2011 through 2018

This indicator reports the percentage of the Medicare fee-for-service population with asthma over time.


Report Area	2011	2012	2013	2014	2015	2016	2017	2018
Lycoming County, PA	4.6%	4.8%	5.3%	5.1%	5.0%	4.7%	4.9%	4.5%
Pennsylvania	4.8%	4.9%	5.2%	5.3%	5.5%	5.4%	5.5%	5.3%
United States	4.9%	5.0%	5.1%	5.2%	5.3%	5.1%	5.1%	5.0%



Medicare Population with Asthma, Percentage by Age

This indicator reports the prevalence of asthma among Medicare beneficiaries by age.

Report Area	65 Years and Older	Less than 65 Years
Lycoming County, PA	3.7%	8.4%
Pennsylvania	4.8%	8.3%
United States	4.5%	7.5%



Chronic Conditions - Diabetes (Adult)

Within the report area, 9,229 of adults aged 20 and older self-report that they have ever been diagnosed with diabetes by a doctor. This represents 8.7% of the total survey population age 20 and older.

Report Area	Population Age 20+	Adults with Diagnosed Diabetes	Adults with Diagnosed Diabetes, Age-Adjusted Rate	Percentage of Adult Diagnosed Diabe (Age-Adjusted), 2
Lycoming County, PA	87,066	9,229	8.7%	
Pennsylvania	9,776,609	1,070,648	9.4%	0%
United States	245,628,960	25,942,874	9.5%	 Pennsylvania (9.4 United States (9.5


Note: This indicator is compared to the state average.

Data Source: Centers for Disease Control and Prevention, National Center for Chronic Disease Prevention and Health Promotion. 2017. Source geography: County

Adults with Diagnosed Diabetes by Gender, 2017

The table below displays national, state, and local variation in the prevalence of diabetes among the adult population by gender.


Report Area	Male	Male, Percent	Female	Female, Percent
Lycoming County, PA	4,654	9.3%	4,575	8.2%
Pennsylvania	543,823	10.1%	526,824	8.7%
United States	12,926,433	10.1%	12,576,507	8.9%



Adults with Diagnosed Diabetes by Year, 2004 through 2017

The table below displays trends in the percentage of adults with diabetes for years 2004 through 2017.

Report Area	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017
Lycoming County, PA	7.9%	8.2%	8.9%	8.1%	7.9%	8.5%	9.0%	8.5%	8.5%	9.1%	10.0%	10.0%	9.9%	8.7%
Pennsylvania	22.0%	22.0%	21.1%	21.9%	22.6%	23.2%	22.6%	21.3%	20.9%	20.0%	20.7%	19.2%	19.7%	18.8%
United States	22.5%	22.3%	22.2%	22.4%	22.6%	22.6%	22.1%	21.2%	21.2%	20.4%	21.0%	20.1%	21.1%	20.4%



Chronic Conditions - Diabetes (Medicare Population)

Within the report area, there were 4,306 beneficiaries with diabetes based on administrative claims data in the latest report year. This represents 26.9% of the total Medicare fee-for-service beneficiaries.


Report Area	Total Medicare Fee-for-Service Beneficiaries	Beneficiaries with Diabetes	Beneficiaries with Diabetes, Percent
Lycoming County, PA	15,986	4,306	26.9%
Pennsylvania	1,360,967	351,783	25.8%
United States	33,499,472	9,029,582	27.0%

Note: This indicator is compared to the state average.

Data Source: Centers for Medicare and Medicaid Services, CMS Geographic Variation Public Use File . 2018. Source geography: County


Medicare Population with Diabetes by Year, 2011 through 2018

Report Area	2011	2012	2013	2014	2015	2016	2017	2018
Lycoming County, PA	29.1%	28.4%	27.9%	28.0%	27.5%	27.2%	27.1%	26.9%
Pennsylvania	27.5%	27.4%	27.1%	26.8%	26.6%	26.4%	26.2%	25.8%
United States	27.5%	27.6%	27.5%	27.4%	27.4%	27.3%	27.2%	27.0%



Medicare Population with Diabetes, Percentage by Age


Report Area	65 Years and Older	Less than 65 Years
Lycoming County, PA	27.5%	24.2%
Pennsylvania	26.2%	24.2%
United States	27.1%	26.4%



Chronic Conditions - Heart Disease (Medicare Population)

Within the report area, there were 3,881 beneficiaries with ischemic heart disease based on administrative claims data in the latest report year. This represents 24.3% of the total Medicare fee-for-service beneficiaries.


Report Area	Total Medicare Fee-for-Service Beneficiaries	Beneficiaries with Heart Disease	Beneficiaries with Heart Disease, Percent	Percentage of Medicar Beneficiaries with Heart Dis
Lycoming County, PA	15,986	3,881	24.3%	
Pennsylvania	1,360,967	371,157	27.3%	0% 60 Lycoming County (24.
United States	33,499,472	8,979,902	26.8%	 Pennsylvania (27.3%) United States (26.8%)



Data Source: Centers for Medicare and Medicaid Services, CMS Geographic Variation Public Use File . 2018. Source geography: County


Medicare Population with Heart Disease by Year, 2011 through 2018

Report Area	2011	2012	2013	2014	2015	2016	2017	2018
Lycoming County, PA	25.7%	24.5%	24.6%	24.2%	23.6%	23.6%	24.3%	24.3%
Pennsylvania	31.9%	30.9%	29.8%	28.9%	28.4%	28.1%	27.6%	27.3%
United States	29.8%	29.2%	28.4%	27.7%	27.2%	27.0%	26.9%	26.8%



Medicare Population with Heart Disease, Percentage by Age

Report Area	65 Years and Older	Less than 65 Years
Lycoming County, PA	14.7%	8.6%
Pennsylvania	14.2%	9.0%
United States	14.6%	10.5%



Chronic Conditions - High Blood Pressure (Medicare Population)


Within the report area, there were 9,346 beneficiaries with hypertension (high blood pressure) based on administrative claims data in the latest report year. This represents 58.5% of the total Medicare fee-for-service beneficiaries.

Report Area	Total Medicare Fee-for-Service Beneficiaries	Beneficiaries with High Blood Pressure	Beneficiaries with High Blood Pressure, Percent	Percentage of Media Beneficiaries with High Pressure
Lycoming County, PA	15,986	9,346	58.5%	
Pennsylvania	1,360,967	796,215	58.5%	0% • Lycoming County ()
United States	33,499,472	19,162,770	57.2%	 Pennsylvania (58.5) United States (57.2)

Note: This indicator is compared to the state average. Data Source: Centers for Medicare and Medicaid Services, CMS Geographic Variation Public Use File . 2018. Source geography: County


Medicare Population with High Blood Pressure by Year, 2011 through 2018

Report Area	2011	2012	2013	2014	2015	2016	2017	2018
Lycoming County, PA	59.5%	58.7%	58.0%	56.5%	56.8%	57.2%	58.3%	58.5%
Pennsylvania	59.3%	59.1%	59.0%	58.6%	58.5%	58.6%	58.6%	58.5%
United States	56.7%	56.7%	56.8%	56.5%	56.6%	56.9%	57.1%	57.2%



Medicare Population with High Blood Pressure, Percentage by Age

Report Area	65 Years and Older	Less than 65 Years
Lycoming County, PA	62.4%	38.4%
Pennsylvania	61.9%	39.8%
United States	59.8%	42.4%



Low Birth Weight (HRSA)

This indicator reports the percentage of total births that are low birth weight (Under 2500g). This indicator is relevant because low birth weight infants are at high risk for health problems. This indicator can also highlight the existence of health disparities. Out of a total 9,233 live births in the report area, 692 or 7.50% were considered low birth weight.

Report Area	Total Live Births	Low Weight Births (Under 2500g)	Low Weight Births, Percent	Percent Low Birth Wei
Lycoming County, PA	9,233	692	7.50%	
Pennsylvania	1,031,597	85,623	8.30%	0%
United States	29,300,495	2,402,641	8.20%	 Lycoming County Pennsylvania (8.3


Note: This indicator is compared to the state average.

Data Source: Centers for Disease Control and Prevention, National Vital Statistics System. Accessed via CDC WONDER. US Department of Health & Human Services, Health Indicators Warehouse. 2006-12. Source geography: County

Babies Born with Low Birth Weight, Percent by Race / Ethnicity


Report Area	Non-Hispanic White	Non-Hispanic Black	Non-Hispanic Asian or Pacific Islander	Hispanic or Latino
Lycoming County, PA	7.20%	11.50%	No data	No data
Pennsylvania	7.10%	13.40%	8.10%	8.70%
United States	7.20%	13.60%	8.20%	7.00%

United States (8.20%)



Babies Born with Low Birth Weight, Percent by Time Period, 2002-2008 through 2006-2012

Report Area	2002-2008	2003-2009	2004-2010	2005-2011	2006-2012
Lycoming County, PA	7.10%	7.10%	7.00%	7.10%	7.50%
Pennsylvania	8.30%	8.30%	8.40%	8.30%	8.30%
United States	8.10%	8.10%	8.20%	8.20%	8.20%



Mortality - Cancer

This indicator reports the 2015-2019 five-year average rate of death due to malignant neoplasm (cancer) per 100,000 population. Figures are reported as crude rates, and as rates age-adjusted to year 2000 standard. Rates are resummarized for report areas from county level data, only where data is available. This indicator is relevant because cancer is a leading cause of death in the United States.

In the report area, during 2015-2019 there were a total of 1,396 deaths due to cancer among the total population of 114,420. The age-adjusted death rate of 169.6 per every 100,000 people is greater than the state's reported rate of 160.5. This rate is greater than the Healthy People 2030 target of less than or equal to 122.7.

Report Area	Total Population, 2015-2019 Average	Five Year Total Deaths, 2015-2019 Total	Crude Death Rate (Per 100,000 Pop.)	Age-Adjusted Death Rate (Per 100,000 Pop.)
Lycoming County, PA	114,420	1,396	244.0	169.6
Pennsylvania	12,800,263	141,345	220.8	160.5
United States	325,134,494	2,991,951	184.0	152.3

Note: This indicator is compared to the state average.


Data Source: Centers for Disease Control and Prevention, National Vital Statistics System. Accessed via CDC WONDER. 2015-2019. Source geography: County

Cancer Mortality, Age-Adjusted Rate (Per 100,000 Pop.) by Gender

This indicator reports the age-adjusted rate of death due to cancer per 100,000 population by gender. In the report area, during 2015-2019, the age-adjusted rate of cancer mortality per every 100,000 people is 210.41 for male and 139.10 for female.

United States (152.3)


Report Area	Male	Female
Lycoming County, PA	210.41	139.10
Pennsylvania	191.56	138.57
United States	180.90	131.10



Cancer Mortality, Age-Adjusted Rate (Per 100,000 Pop.) by Race / Ethnicity

This indicator reports the age-adjusted rate of death due to cancer per 100,000 population by race/ethnicity from 2015 to 2019.

Report Area	Non-Hispanic White	Non-Hispanic Black	Asian or Pacific Islander	American Indian or Alaskan Native	Hispanic or Latino
Lycoming County, PA	168.09	277.80	No data	No data	No data
Pennsylvania	160.12	195.73	88.88	46.15	106.03
United States	157.52	178.02	94.70	100.09	108.15




Cancer Mortality, Age-Adjusted Rate (Per 100,000 Pop.), Yearly Trend

This indicator reports the 2004 to 2019 yearly trend of age-adjusted rate of death due to cancer per 100,000 population.

Report Area	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019
Pennsylvania	196.05	195.57	190.50	186.93	184.69	182.51	181.64	177.96	175.50	170.60	169.60	167.20	164.74	161.04	156.60	153.45
United States	186.79	185.09	181.78	179.26	176.37	173.53	172.79	168.96	166.50	163.20	161.20	158.52	155.76	152.49	149.11	146.15

Note: No county data available. See data source and methodology for more details.



Mortality - Coronary Heart Disease

This indicator reports the 2015-2019 five-year average rate of death due to coronary heart disease (ICD10 Codes I20-I25) per 100,000 population. Figures are reported as crude rates, and as rates age-adjusted to year 2000 standard. Rates are resummarized for report areas from county level data, only where data is available. This indicator is relevant because coronary heart disease is a leading cause of death in the United States.

In the report area, during 2015-2019 there were a total of 745 deaths due to coronary heart disease among the total population of 114,420. The age-adjusted death rate of 87.1 per every 100,000 people is less than the state's reported rate of 96.2. This rate is greater than the Healthy People 2030 target of less than or equal to 71.1.

Report Area	Total Population, 2015-2019 Average	Five Year Total Deaths, 2015-2019 Total	Crude Death Rate (Per 100,000 Pop.)	Age-Adjusted Death Rate (Per 100,000 Pop.)	Coronary Heart Dise Age-Adjusted D (Per 100,000
Lycoming County, PA	114,420	745	130.2	87.1	
Pennsylvania	12,800,263	88,068	137.6	96.2	
United States	325,134,494	1,822,811	112.1	92.6	U Lycoming Cou Pennsylvania

United States (92.6)


Note: This indicator is compared to the state average

Data Source: Centers for Disease Control and Prevention, National Vital Statistics System. Accessed via CDC WONDER. 2015-2019. Source geography: County

Coronary Heart Disease Mortality, Age-Adjusted Rate (Per 100,000 Pop.) by Gender

This indicator reports the age-adjusted rate of death due to coronary heart disease per 100,000 population by gender. In the report area, during 2015-2019, the age-adjusted rate of coronary heart disease mortality per every 100,000 people is 128.34 for male and 57.26 for female.


Report Area	Male	Female
Lycoming County, PA	128.34	57.26
Pennsylvania	131.93	68.79
United States	126.19	65.87



Coronary Heart Disease Mortality, Age-Adjusted Rate (Per 100,000 Pop.) by Race / Ethnicity

This indicator reports the age-adjusted rate of death due to coronary heart disease per 100,000 population by race/ethnicity from 2015 to 2019.

Report Area	Non-Hispanic White	Non-Hispanic Black	Asian or Pacific Islander	American Indian or Alaskan Native	Hispanic or Latino
Lycoming County, PA	87.30	No data	No data	No data	No data
Pennsylvania	95.41	119.20	45.55	25.73	60.46
United States	95.11	107.36	52.99	67.12	70.77




Coronary Heart Disease Mortality, Age-Adjusted Rate (Per 100,000 Pop.), Yearly Trend

This indicator reports the 2004 to 2019 yearly trend of age-adjusted rate of death due to coronary heart disease per 100,000 population.

Report Area	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019
Pennsylvania	157.53	152.05	137.44	130.65	129.26	122.06	115.98	112.82	108.60	106.00	101.80	99.71	98.61	96.89	94.89	90.98
United States	153.24	148.15	138.33	129.24	126.14	117.72	113.65	109.18	105.40	102.60	98.80	97.24	94.33	92.88	90.85	87.97

Note: No county data available. See data source and methodology for more details.



Mortality - Poisoning

This indicator reports the 2015-2019 five-year average rate of death due to poisoning (including drug overdose) per 100,000 population. Figures are reported as crude rates, and as rates age-adjusted to year 2000 standard. Rates are resummarized for report areas from county level data, only where data is available. This indicator is relevant because poisoning deaths, especially from drug overdose, are a national public health emergency.

In the report area, during 2015-2019 there were a total of 160 deaths due to drug poisoning among the total population of 114,420. The age-adjusted death rate of 30.8 per every 100,000 people is less than the state's reported rate of 38.0.


Report Area	Total Population, 2015-2019 Average	Five Year Total Deaths, 2015-2019 Total	Crude Death Rate (Per 100,000 Pop.)	Age-Adjusted Death Rate (Per 100,000 Pop.)	Poisoning Mortality, Age–Adjusted Death Rate (Per 100,000 Pop.)
Lycoming County, PA	114,420	160	28.0	30.8	
Pennsylvania	12,800,263	23,379	36.5	38.0	
United States	325,134,494	350,184	21.5	21.6	0 150 Lycoming County (30.8) Pennsylvania (38.0) United States (21.6)

Data Source: Centers for Disease Control and Prevention, National Vital Statistics System. Accessed via CDC WONDER. 2015-2019. Source geography: County

Poisoning Mortality, Age-Adjusted Rate (Per 100,000 Pop.) by Gender

This indicator reports the age-adjusted rate of death due to poisoning (including drug poisoning) per 100,000 population by gender. In the report area, during 2015-2019, the age-adjusted rate of poisoning mortality per every 100,000 people is 38.59 for male and 22.94 for female.


Report Area	Male	Female
Lycoming County, PA	38.59	22.94
Pennsylvania	52.34	23.83
United States	29.07	14.18



Poisoning Mortality, Age-Adjusted Rate (Per 100,000 Pop.) by Race / Ethnicity

This indicator reports the age-adjusted rate of death due to poisoning (including drug poisoning) per 100,000 population by race/ethnicity from 2015 to 2019.

Report Area	Non-Hispanic White	Non-Hispanic Black	Asian or Pacific Islander	American Indian or Alaskan Native	Hispanic or Latino
Lycoming County, PA	28.81	No data	No data	No data	No data
Pennsylvania	41.19	38.08	5.44	11.32	32.77
United States	26.88	20.25	4.10	20.78	11.43




Poisoning Mortality, Age-Adjusted Rate (Per 100,000 Pop.), Yearly Trend

This indicator reports the 2004 to 2019 yearly trend of age-adjusted rate of death due to poisoning (including drug poisoning) per 100,000 population.

Report Area	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019
Pennsylvania	No data	46.42	38.42	37.87												
United States	No data	23.23	22.21	23.16												

Note: No county data available. See data source and methodology for more details.



Mortality - Homicide

This indicator reports the 2015-2019 five-year average rate of death due to assault (homicide) per 100,000 population. Figures are reported as crude rates, and as rates age-adjusted to year 2000 standard. Rates are resummarized for report areas from county level data, only where data is available. This indicator is relevant because homicide rate is a measure of poor community safety and is a leading cause of premature death.

In the report area, during 2015-2019 there were a total of 61 deaths due to assault (homicide) among the total population of 114,420. The age-adjusted death rate of 11.9 per every 100,000 people is greater than the state's reported rate of 6.1.


Report Area	Total Population, 2015-2019 Average	Five Year Total Deaths, 2015-2019 Total	Crude Death Rate (Per 100,000 Pop.)	Age-Adjusted Death Rate (Per 100,000 Pop.)	Homicide, Age-Adjusted Death Ra (Per 100,000 Pop.)
Lycoming County, PA	114,420	61	10.7	11.9	
Pennsylvania	12,800,263	3,690	5.8	6.1	
United States	325,134,494	94,636	5.8	6.0	0 25 Lycoming County (11. Pennsylvania (6.1)
Note: This indicator is compared to	the state average.				United States (6.0)

Data Source: Centers for Disease Control and Prevention, National Vital Statistics System. Accessed via CDC WONDER. 2015-2019. Source geography: County

Homicide Mortality, Age-Adjusted Rate (Per 100,000 Pop.) by Gender

This indicator reports the age-adjusted rate of death due to homicide per 100,000 population by gender from 2015 to 2019.


Report Area	Male	Female
Lycoming County, PA	16.91	No data
Pennsylvania	10.02	2.17
United States	9.53	2.39



Homicide Mortality, Age-Adjusted Rate (Per 100,000 Pop.) by Race / Ethnicity

This indicator reports the age-adjusted rate of death due to homicide per 100,000 population by race/ethnicity from 2015 to 2019.


Report Area	Non-Hispanic White	Non-Hispanic Black	Asian or Pacific Islander	American Indian or Alaskan Native	Hispanic or Latino
Lycoming County, PA	10.03	No data	No data	No data	No data
Pennsylvania	2.12	29.36	1.29	No data	7.88
United States	2.79	22.20	1.70	6.74	5.08



Homicide Mortality, Age-Adjusted Rate (Per 100,000 Pop.), Yearly Trend

This indicator reports the 2004 to 2019 yearly trend of age-adjusted rate of death due to homicide per 100,000 population.

Report Area	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019
Pennsylvania	5.76	6.27	6.40	6.25	5.79	5.37	5.64	5.60	5.80	5.30	5.20	5.98	5.55	6.65	6.42	6.09
United States	5.94	6.16	6.26	6.15	5.93	5.54	5.33	5.30	5.40	5.20	5.10	5.66	6.16	6.16	5.93	6.03



Mortality - Lung Disease

This indicator reports the 2015-2019 five-year average rate of death due to chronic lower respiratory disease per 100,000 population. Figures are reported as crude rates, and as rates age-adjusted to year 2000 standard. Rates are resummarized for report areas from county level data, only where data is available. This indicator is relevant because lung disease is a leading cause of death in the United States.

In the report area, during 2015-2019 there were a total of 401 deaths due to chronic lower respiratory disease among the total population of 114,420. The age-adjusted death rate of 47.6 per every 100,000 people is greater than the state's reported rate of 36.2.

United States (40.2)

Report Area	Total Population, 2015-2019 Average	Five Year Total Deaths, 2015-2019 Total	Crude Death Rate (Per 100,000 Pop.)	Age-Adjusted Death Rate (Per 100,000 Pop.)
Lycoming County, PA	114,420	401	70.1	47.6
Pennsylvania	12,800,263	32,627	51.0	36.2
United States	325,134,494	786,303	48.4	40.2


Note: This indicator is compared to the state average

Data Source: Centers for Disease Control and Prevention, National Vital Statistics System. Accessed via CDC WONDER. 2015-2019. Source geography: County

Lung Disease Mortality, Age-Adjusted Rate (Per 100,000 Pop.) by Gender

This indicator reports the age-adjusted rate of death due to lung disease per 100,000 population by gender. In the report area, during 2015-2019, the age-adjusted rate of lung disease mortality per every 100,000 people is 55.89 for male and 41.45 for female.


Report Area	Male	Female
Lycoming County, PA	55.89	41.45
Pennsylvania	40.45	33.41
United States	44.20	37.27



Lung Disease Mortality, Age-Adjusted Rate (Per 100,000 Pop.) by Race / Ethnicity

This indicator reports the age-adjusted rate of death due to lung disease per 100,000 population by race/ethnicity from 2015 to 2019.


Report Area	Non-Hispanic White	Non-Hispanic Black	Asian or Pacific Islander	American Indian or Alaskan Native	Hispanic or Latino
Lycoming County, PA	47.36	No data	No data	No data	No data
Pennsylvania	37.26	32.97	11.06	17.15	16.44
United States	45.52	29.82	11.54	29.17	16.98



Lung Disease Mortality, Age-Adjusted Rate (Per 100,000 Pop.), Yearly Trend

This indicator reports the 2004 to 2019 yearly trend of age-adjusted rate of death due to lung disease per 100,000 population.

Report Area	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019
Pennsylvania	38.62	39.28	35.60	38.08	41.95	39.56	37.93	39.72	38.80	39.30	37.00	38.06	36.82	37.09	35.09	34.22
United States	41.61	43.89	41.01	41.35	44.67	42.65	42.18	42.51	41.50	42.10	40.50	41.62	40.56	40.92	39.71	38.18



Mortality - Motor Vehicle Crash

This indicator reports the 2015-2019 five-year average rate of death due to motor vehicle crash per 100,000 population, which include collisions with another motor vehicle, a nonmotorist, a fixed object, and a non-fixed object, an overturn, and any other non-collision. Figures are reported as crude rates, and as rates age-adjusted to year 2000 standard. This indicator is relevant because motor vehicle crash deaths are preventable and they are a cause of premature death.

In the report area, during 2015-2019 there were a total of 60 deaths due to motor vehicle crash among the total population of 114,420. The age-adjusted death rate of 9.9 per every 100,000 people is greater than the state's reported rate of 8.9. This rate is less than the Healthy People 2030 target of less than or equal to 10.1.

Report Area	Total Population, 2015-2019 Average	Five Year Total Deaths, 2015-2019 Total	Crude Death Rate (Per 100,000 Pop.)	Age-Adjusted Death Rate (Per 100,000 Pop.)	Motor Vehicle Crash Mortali Age-Adjusted Death Rate (Per 100,000 Pop.)
Lycoming County, PA	114,420	60	10.5	9.9	
Pennsylvania	12,800,263	5,982	9.3	8.9	
United States	325,134,494	189,154	11.6	11.3	0 50 • Lycoming County (9.9) • Pennsylvania (8.9)

United States (11.3)


Note: This indicator is compared to the state average

Data Source: Centers for Disease Control and Prevention, National Vital Statistics System. Accessed via CDC WONDER. 2015-2019. Source geography: County

Motor Vehicle Crash Mortality, Age-Adjusted Rate (Per 100,000 Pop.) by Gender

This indicator reports age-adjusted rate of death due to motor vehicle crash per 100,000 population by gender.


Report Area	Male	Female
Lycoming County, PA	15.49	No data
Pennsylvania	13.11	4.84
United States	16.38	6.41



Motor Vehicle Crash Mortality, Age-Adjusted Rate (Per 100,000 Pop.) by Race / Ethnicity

This indicator reports age-adjusted rate of death due to motor vehicle crash per 100,000 population by race / ethnicity.


Report Area	Non-Hispanic White	Non-Hispanic Black	Asian or Pacific Islander	American Indian or Alaskan Native	Hispanic or Latino
Lycoming County, PA	10.12	No data	No data	No data	No data
Pennsylvania	9.25	8.02	3.48	No data	7.86
United States	11.45	13.72	4.64	16.41	10.35



Motor Vehicle Crash Mortality, Age-Adjusted Rate (Per 100,000 Pop.), Yearly Trend

The table below shows age-adjusted death rates due to motor vehicle crash per 100,000 population by year.

Report Area	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019
Pennsylvania	5.31	5.94	5.69	5.56	5.36	4.68	4.87	5.05	10.00	9.50	9.10	9.60	9.68	8.97	9.05	7.91
United States	10.34	10.15	9.93	9.24	8.12	7.21	6.54	6.76	10.90	10.50	10.30	11.41	12.15	11.53	11.24	11.07



Mortality - Premature Death

This indicator reports Years of Potential Life Lost (YPLL) before age 75 per 100,000 population for all causes of death, ageadjusted to the 2000 standard. YPLL measures premature death and is calculated by subtracting the age of death from the 75 year benchmark. This indicator is relevant because a measure of premature death can provide a unique and comprehensive look at overall health status.

In the report area, there were 1,530 premature deaths, leading to the loss of 23,056 potential years of life. The rate of years lost is 7,340 per every 100,000 people, which is less than the state's loss rate of 7,593.


Report Area	Premature Deaths, 2016-2018	Years of Potential Life Lost, 2016-2018 Average	Years of Potential Life Lost, Rate per 100,000 Population	Years of Potential Life Lost, Rate per 100,000 Populatio
Lycoming County, PA	1,530	23,056	7,340	
Pennsylvania	330,986	5,372,937	7,593	5000
United States	7,616,614	127,141,260	6,977	 Lycoming County (7,340 Pennsylvania (7,593)
ote: This indicator is compared to the s	tate average.			 United States (6,977)

Note: This indicator is compared to the state average. Data Source: University of Wisconsin Population Health Institute, County Health Rankings. 2016-2018. Source geography: County

Premature Death - Years of Potential Life Lost, Rate per 100,000 Population by Time Period, Yearly Trend

The table below shows yearly trends of age-adjusted death rates due to Years of Potential Life Lost (YPLL) before age 75 per 100,000 population.


Report Area	1997-1999	2000-2002	2003-2005	2006-2008	2009-2011	2012-2014	2015-2017	2016-2018
Lycoming County, PA	6,964.6	6,881.0	6,828.9	6,811.8	6,666.0	6,992.5	7,307.5	7,339.6
Pennsylvania	7,684.8	7,596.8	7,464	7,219.73	6,939.7	6,843.1	7,483.1	7,572.54
United States	7,705.2	7,535	7,345	7,090.49	6,703.7	6,601.2	6,900.63	6,940.11



Premature Death Rate per 100,000 Population by Race / Ethnicity

This indicator reports age-adjusted rate of death due tO Years of Potential Life Lost (YPLL) before age 75 per 100,000 population by race / ethnicity.

Report Area	Non-Hispanic White	Non-Hispanic Black	Hispanic or Latino
Lycoming County, PA	6,888.10	14,400.39	No data



Mortality - Stroke

This indicator reports the 2015-2019 five-year average rate of death due to cerebrovascular disease (stroke) per 100,000 population. Figures are reported as crude rates, and as rates age-adjusted to year 2000 standard. Rates are resummarized for report areas from county level data, only where data is available. This indicator is relevant because stroke is a leading cause of death in the United States.

In the report area, during 2015-2019 there were a total of 305 deaths due to cerebrovascular disease (stroke) among the total population of 114,420. The age-adjusted death rate of 35.8 per every 100,000 people is greater than the Healthy People 2030 target of less than or equal to 33.4.

Report Area	Total Population, 2015-2019 Average	Five Year Total Deaths, 2015-2019 Total	Crude Death Rate (Per 100,000 Pop.)	Age-Adjusted Death Rate (Per 100,000 Pop.)
Lycoming County, PA	114,420	305	53.3	35.8
Pennsylvania	12,800,263	33,674	52.6	36.5
United States	325,134,494	726,663	44.7	37.3




Note: This indicator is compared to the state average.

Data Source: Centers for Disease Control and Prevention, National Vital Statistics System. Accessed via CDC WONDER. 2015-2019. Source geography: County

Stroke Mortality, Age-Adjusted Rate (Per 100,000 Pop.) by Gender

This indicator reports the age-adjusted rate of death due to stroke per 100,000 population by gender. In the report area, during 2015-2019, the age-adjusted rate of stroke mortality per every 100,000 people is 35.39 for male and 36.23 for female.


Report Area	Male	Female
Lycoming County, PA	35.39	36.23
Pennsylvania	36.48	35.99
United States	37.68	36.37



Stroke Mortality, Age-Adjusted Rate (Per 100,000 Pop.) by Race / Ethnicity

This indicator reports the age-adjusted rate of death due to stroke per 100,000 population by race/ethnicity from 2015 to 2019.

Report Area	Non-Hispanic White	Non-Hispanic Black	Asian or Pacific Islander	American Indian or Alaskan Native	Hispanic or Latino
Pennsylvania	35.17	51.29	30.75	No data	33.53
United States	36.06	52.30	29.92	24.68	32.19




Stroke Mortality, Age-Adjusted Rate (Per 100,000 Pop.), Yearly Trend

This indicator reports the 2004 to 2019 yearly trend of age-adjusted rate of death due to stroke per 100,000 population.

Report Area	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019
Pennsylvania	49.56	48.03	44.21	43.43	41.94	40.71	39.31	39.60	37.40	37.20	36.70	38.79	36.96	36.48	35.28	35.34
United States	51.18	47.96	44.80	43.52	42.05	39.59	39.13	37.90	36.90	36.20	36.50	37.62	37.34	37.59	37.07	36.96

Note: No county data available. See data source and methodology for more details.



Mortality - Suicide

This indicator reports the 2015-2019 five-year average rate of death due to intentional self-harm (suicide) per 100,000 population. Figures are reported as crude rates, and as rates age-adjusted to year 2000 standard. Rates are resummarized for report areas from county level data, only where data is available. This indicator is relevant because suicide is an indicator of poor mental health.

In the report area, during 2015-2019 there were a total of 103 deaths due to suicide among the total population of 114,420. The age-adjusted death rate of 18.7 per every 100,000 people is greater than the state's reported rate of 14.5. The age-adjusted death rate of 18.7 per every 100,000 people is greater than the Healthy People 2030 target of less than or equal to 12.8.

Report Area	Total Population, 2015-2019 Average		Crude Death Rate (Per 100,000 Pop.)	Age-Adjusted Death Rate (Per 100,000 Pop.)	Suicide, Age-Adjusted Death I (Per 100,000 Pop.
Lycoming County, PA Pennsylvania	114,420 12,800,263		18.0 15.3	18.7 14.5	
United States	325,134,494	232,186	14.3	13.8	0 Lycoming County (1 Pennsylvania (14.5)

United States (13.8)


Note: This indicator is compared to the state average.

Data Source: Centers for Disease Control and Prevention, National Vital Statistics System. Accessed via CDC WONDER. 2015-2019. Source geography: County

Suicide Mortality, Age-Adjusted Rate (Per 100,000 Pop.) by Gender

This indicator reports the age-adjusted rate of death due to suicide per 100,000 population by gender. In the report area, during 2015-2019, the age-adjusted rate of suicide mortality per every 100,000 people is 24.21 for male and 13.78 for female.


Report Area	Male	Female
Lycoming County, PA	24.21	13.78
Pennsylvania	23.20	6.42
United States	22.00	6.07



Suicide Mortality, Age-Adjusted Rate (Per 100,000 Pop.) by Race / Ethnicity

This indicator reports the age-adjusted rate of death due to suicide per 100,000 population by race/ethnicity from 2015 to 2019.


Report Area	Non-Hispanic White	Non-Hispanic Black	Asian or Pacific Islander	American Indian or Alaskan Native	Hispanic or Latino
Lycoming County, PA	19.15	No data	No data	No data	No data
Pennsylvania	16.39	7.55	6.76	No data	7.06
United States	17.47	6.71	6.75	13.39	6.91



Suicide Mortality, Age-Adjusted Rate (Per 100,000 Pop.), Yearly Trend

This indicator reports the 2004 to 2019 yearly trend of age-adjusted rate of death due to suicide per 100,000 population.

Report Area	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019
Pennsylvania	11.08	11.11	10.82	11.06	11.78	12.22	11.88	13.18	12.40	13.40	13.30	13.98	14.68	15.02	14.87	14.06
United States	10.99	10.93	11.00	11.29	11.60	11.76	12.11	12.34	12.60	12.60	13.00	13.28	13.47	14.01	14.24	13.94



Mortality - Unintentional Injury (Accident)

This indicator reports the 2015-2019 five-year average rate of death due to unintentional injury (accident) per 100,000 population. Figures are reported as crude rates, and as rates age-adjusted to year 2000 standard. Rates are resummarized for report areas from county level data, only where data is available. This indicator is relevant because accidents are a leading cause of death in the U.S.

In the report area, during 2015-2019 there were a total of 281 deaths due to accidents among the total population of 114,420. The age-adjusted death rate of 43.8 per every 100,000 people is less than the state's reported rate of 61.4. This rate is greater than the Healthy People 2030 target of less than or equal to 43.2.


Report Area	Total Population, 2015-2019 Average	Five Year Total Deaths, 2015-2019 Total	Crude Death Rate (Per 100,000 Pop.)	Age-Adjusted Death Rate (Per 100,000 Pop.)	Accident Mo Age-Adjusted (Per 100,00
Lycoming County, PA	114,420	281	49.1	43.8	
Pennsylvania	12,800,263	42,442	66.3	61.4	
United States	325,134,494	818,048	50.3	47.5	0 Lycoming Co Pennsylvania
ote: This indicator is compared to	the state average.				United States

Data Source: Centers for Disease Control and Prevention, National Vital Statistics System. Accessed via CDC WONDER. 2015-2019. Source geography: County

Unintentional Injury (Accident) Mortality, Age-Adjusted Rate (Per 100,000 Pop.) by Gender

This indicator reports the age-adjusted rate of death due to unintentional injury (accident) per 100,000 population by gender. In the report area, during 2015-2019, the age-adjusted rate of unintentional injury (accident) mortality per every 100,000 people is 57.69 for male and 31.12 for female.


Report Area	Male	Female
Lycoming County, PA	57.69	31.12
Pennsylvania	85.20	38.92
United States	65.20	30.75



Unintentional Injury (Accident) Mortality, Age-Adjusted Rate (Per 100,000 Pop.) by Race / Ethnicity

This indicator reports the age-adjusted rate of death due to unintentional injury (accident) per 100,000 population by race/ethnicity from 2015 to 2019.


Report Area	Non-Hispanic White	Non-Hispanic Black	Asian or Pacific Islander	American Indian or Alaskan Native	Hispanic or Latino
Lycoming County, PA	42.35	86.37	No data	No data	No data
Pennsylvania	64.95	59.49	18.60	17.61	51.09
United States	53.54	46.03	16.93	53.70	32.13



Unintentional Injury (Accident) Mortality, Age-Adjusted Rate (Per 100,000 Pop.), Yearly Trend

This indicator reports the 2004 to 2019 yearly trend of age-adjusted rate of death due to unintentional injury (accident) per 100,000 population.

Report Area	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019
Pennsylvania	39.11	40.79	39.47	40.78	42.07	39.43	41.13	44.36	45.00	44.90	46.80	51.98	61.84	70.16	61.92	61.22
United States	38.06	39.51	40.24	40.36	39.25	37.49	37.99	39.13	39.10	39.40	40.50	43.22	47.41	49.39	47.99	49.29



Obesity

38.9% of adults aged 20 and older self-report that they have a Body Mass Index (BMI) greater than 30.0 (obese) in the report area. Excess weight may indicate an unhealthy lifestyle and puts individuals at risk for further health issues.


Report Area	Population Age 20+	Adults with BMI > 30.0 (Obese)	Adults with BMI > 30.0 (Obese), Percent
ycoming County, PA	87,392	33,908	38.9%
Pennsylvania	9,783,405	3,008,801	30.5%
United States	243,101,202	72,159,365	29.5%

Adults Obese (BMI > 30.0) by Gender, 2017

The table below displays national, state, and local variation in the prevalence of obesity among the adult population by gender.

United States (29.5%)


Report Area	Male	Male, Percent	Female	Female, Percent
Lycoming County, PA	17,374	41.1%	16,534	36.8%
Pennsylvania	1,478,065	30.8%	1,530,731	30.2%
United States	35,502,906	29.8%	36,656,416	29.3%



Percentage of Adults Obese (BMI > 30.0) by Year

The table below displays trends in the percentage of adults that are obese for years 2004 through 2017.

Report Area	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017
Lycoming County, PA	26.2%	25.3%	25.2%	25.4%	27.2%	30.1%	30.7%	30.1%	29.4%	31.2%	32.9%	37.2%	38.3%	38.9%
Pennsylvania	24.2%	24.5%	25.7%	26.9%	27.9%	28.8%	28.4%	28.3%	28.4%	29.0%	29.2%	29.5%	30.0%	30.5%
United States	23.1%	23.8%	24.8%	25.6%	26.4%	27.4%	27.3%	27.2%	27.1%	27.5%	27.8%	28.3%	28.8%	29.5%



Poor or Fair Health

Within the report area there are 4,498 persons aged 18 and older who self-report having poor or fair health. This represents 16.2% of the total population aged 18 and older.

Report Area	Population Age 18+	Adults with Poor or Fair Health	Percentage of Adults with Poor or Fair Health	Percentage of Adults with Fair or Poor Health
Lycoming County, PA	27,769	4,498	16.2%	
Pennsylvania	6,325,940	1,063,252	16.8%	0% 40%
United States	170,662,372	29,402,007	17.2%	 Pennsylvania (16.8%) United States (17.2%)

Note: This indicator is compared to the state average. Data Source: Centers for Disease Control and Prevention, Behavioral Risk Factor Surveillance System. Accessed via County Health Rankings. 2020. Source geography: County

https://sparkmap.org, 4/16/2021